

Bird species' status and trends reporting format for the period 2008-2012 (Annex 2)

1. Species Information

- 1.1 Member State Hungary
- 1.2.2 Natura 2000 code A264
- 1.3 Species name *Cinclus cinclus*
- 1.3.1 Sub-specific population
- 1.4 Alternative species name
- 1.5 Common name vízirigó
- 1.6 Season Breeding (B)

2. Population size

- 2.1 Year or period 2000-2012
- 2.2 Population size a)unit number of pairs (p) b)minimum 5 c)maximum 10
- 2.3 Type of estimate The best available single figure or range (Best estimate)
- 2.4 Method used Estimate based on expert opinion with no or minimal sampling (1)
- 2.5 Quality Poor (1)
- 2.6 Sources Breeding bird (MME RTM) database.
- 2.8 Additional information

3. Population trend

3.1 Short-term trend (last 12 years)

- 3.1.1 Period 2000-2012
- 3.1.2 Trend direction Unknown (x)
- 3.1.3 Magnitude a)Min b)Max
- 3.1.4 Method used Estimate based on expert opinion with no or minimal sampling (1)
- 3.1.5 Quality Poor (1)
- 3.1.6 Sources National Park Directorates Databases

3.2 Long-term trend (since c. 1980)

- 3.2.1 Period 1980-2012
- 3.2.2 Trend direction Decrease (-)
- 3.2.3 Magnitude a)Min 50 b)Max 80
- 3.2.4 Method used Estimate based on partial data with some extrapolation and/or modelling (2)
- 3.2.5 Quality Moderate (2)
- 3.2.6 Sources Horváth, R. and Szép, T. (1998): A Magyarországi vízirigók állománycsökkenése. Population decrease of the Dipper in Hungary. *Ornis Hungarica* 8: 9-16.

3.3 Additional information

4. Breeding distribution map and range size

Bird species' status and trends reporting format for the period 2008-2012 (Annex 2)

| | |
|---------------------------------|---|
| 4.1 Year or period | 2000-2012 |
| 4.2 Sensitive species | No |
| 4.3 Distribution map | Yes |
| 4.4 Additional distribution map | No |
| 4.5 Range map | Yes |
| 4.6 Range surface area | 616 |
| 4.7 Method used | Complete survey or a statistically robust estimate (3) |
| 4.8 Quality | Good (3) |
| 4.9 Sources | Breeding bird (MME RTM) database. |
| 4.11 Additional information | The distribution and range map made by using breeding probability data. |

5. Breeding range trend

5.1 Short-term trend (last 12 years)

| | |
|-----------------------|--|
| 5.1.1 Period | 2000-2012 |
| 5.1.2 Trend direction | Fluctuating (F) |
| 5.1.3 Magnitude | a)Min b)Max |
| 5.1.4 Method used | Estimate based on expert opinion with no or minimal sampling (1) |
| 5.1.5 Quality | Moderate (2) |
| 5.1.6 Sources | National Park Directorates Databases |

5.2 Long-term trend (since c. 1980)

| | |
|-----------------------|---|
| 5.2.1 Period | 1980-2012 |
| 5.2.2 Trend direction | Decrease (-) |
| 5.2.3 Magnitude | a)Min 75 b)Max 75 |
| 5.2.4 Method used | Estimate based on expert opinion with no or minimal sampling (1) |
| 5.2.5 Quality | Poor (1) |
| 5.2.6 Sources | Horváth, R. and Szép, T. (1998): A Magyarországi vízirigók állománycsökkenése. Population decrease of the Dipper in Hungary. Ornis Hungarica 8: 9-16. |

5.3 Additional information

6. Progress in work related to international Species Action Plans (SAPs), Management Plans (MPs) and Brief Management Statements (BMSs)

| | |
|-----------------------------------|--------------|
| 6.1 Type of plan | No Plan (NA) |
| 6.2 National plan adopted? | N/A |
| 6.3 Measures linked to SAP/MP/BMS | |

6.4 Further Information

Bird species' status and trends reporting format for the period 2008-2012 (Annex 2)

7. Main pressures and threats

8. SPA coverage and conservation measures

8.1 Population inside the SPA network

| | a)unit | b)minimum | c)maximum |
|--------------------------------------|--------|-----------|-----------|
| 8.1.1 Population size | N/A | | |
| 8.1.2 Method used | N/A | | |
| 8.1.3 Short-term trend of population | N/A | | |

8.2 Conservation Measures

**Térképmelléklet a madárvédelmi irányelv 12. cikke alapján készített országjelentéshez
2013.**

vízirigó (*Cinclus cinclus*)

nem jelőlő faj

