



# Report on the main results of the surveillance under Article 17 for Annex I habitat types (Annex D)

5.6 Short-term trend Direction	Stable (0)		
5.7 Short-term trend Magnitude	a) Minimum	b) Maximum	c) Confidence interval
5.8 Short-term trend Method used	Based mainly on extrapolation from a limited amount of data		
5.9 Long-term trend Period			
5.10 Long-term trend Direction			
5.11 Long-term trend Magnitude	a) Minimum	b) Maximum	c) Confidence interval
5.12 Long-term trend Method used			
5.13 Favourable reference area	a) Area (km <sup>2</sup> )	Approximately equal to (≈)	
	b) Operator	Yes	
	c) Unknown	Yes	
	d) Method		
5.14 Change and reason for change in surface area of range	Improved knowledge/more accurate data Use of different method		
	The change is mainly due to:	Improved knowledge/more accurate data	
5.15 Additional information			

## 6. Structure and functions

6.1 Condition of habitat	a) Area in good condition (km <sup>2</sup> )	Minimum 0,05	Maximum 0,1
	b) Area in not-good condition (km <sup>2</sup> )	Minimum 0	Maximum 0
	c) Area where condition is not known (km <sup>2</sup> )	Minimum 0	Maximum 0
6.2 Condition of habitat Method used	Complete survey or a statistically robust estimate		
6.3 Short-term trend of habitat area in good condition Period	20072018		
6.4 Short-term trend of habitat area in good condition Direction	Stable (0)		
6.5 Short-term trend of habitat area in good condition Method used	Based mainly on extrapolation from a limited amount of data		
6.6 Typical species	Has the list of typical species changed in comparison to the previous reporting period? Yes		
6.7 Typical species Method used	Achillea crithmifolia, Acinos arvensis, Allium flavum, Arenaria serpyllifolia, Asplenium septentrionale, Cardaminopsis arenosa, Centaurea stoebe, Euphorbia cyparissias, Festuca valesiaca, Genista pilosa, Hylotelephium telephium subsp. maximum, Jovibarba globifera subsp. hirta, Melica ciliata, Minuartia frutescens, Poa bulbosa, Poa scabra, Potentilla arenaria, Potentilla argentea, Rumex acetosella, Scleranthus annuus, Sedum acre, Sedum sexangulare, Sempervivum marmoreum, Seseli osseum, Thymus glabrescens, Trifolium arvense, Veronica verna		
6.8 Additional information			

## 7. Main pressures and threats

### 7.1 Characterisation of pressures/threats

Pressure	Ranking
Sports, tourism and leisure activities (F07)	M

# Report on the main results of the surveillance under Article 17 for Annex I habitat types (Annex D)

Management of fishing stocks and game (G08)	M
Natural succession resulting in species composition change (other than by direct changes of agricultural or forestry practices) (L02)	M
Threat	Ranking
Sports, tourism and leisure activities (F07)	M
Management of fishing stocks and game (G08)	M
Natural succession resulting in species composition change (other than by direct changes of agricultural or forestry practices) (L02)	M

7.2 Sources of information

7.3 Additional information

## 8. Conservation measures

8.1 Status of measures

a) Are measures needed?	No
b) Indicate the status of measures	

8.2 Main purpose of the measures taken

8.3 Location of the measures taken

8.4 Response to the measures

8.5 List of main conservation measures

8.6 Additional information

## 9. Future prospects

9.1 Future prospects of parameters

a) Range	Good
b) Area	Good
c) Structure and functions	Good

9.2 Additional information

## 10. Conclusions

10.1. Range Favourable (FV)

10.2. Area Favourable (FV)

10.3. Specific structure and functions (incl. typical species) Favourable (FV)

10.4. Future prospects Favourable (FV)

10.5 Overall assessment of Conservation Status Favourable (FV)

10.6 Overall trend in Conservation Status Stable (=)

# Report on the main results of the surveillance under Article 17 for Annex I habitat types (Annex D)

10.7 Change and reasons for change in conservation status and conservation status trend

a) Overall assessment of conservation status

No change

The change is mainly due to:

b) Overall trend in conservation status

Use of different method

The change is mainly due to: Use of different method

10.8 Additional information

## 11. Natura 2000 (pSCIs, SCIs, SACs) coverage for Annex I habitat types

11.1 Surface area of the habitat type inside the pSCIs, SCIs and SACs network (in km<sup>2</sup> in biogeographical/marine region)

a) Minimum 0,03

b) Maximum 0,06

c) Best single value

11.2 Type of estimate

Best estimate

11.3 Surface area of the habitat type inside the network Method used

Complete survey or a statistically robust estimate

11.4 Short-term trend of habitat area in good condition within the network Direction

Stable (0)

11.5 Short-term trend of habitat area in good condition within network Method used

Based mainly on extrapolation from a limited amount of data

11.6 Additional information


## 12. Complementary information

12.1 Justification of % thresholds for trends

12.2 Other relevant information

# Az élőhelyvédelmi irányelv 17. cikke alapján készített országjelentés 2019

Pionír, mészkerülő sziklanövényzet  
8230



Forrás: Agrárminisztérium,  
Természetmegőrzési Főosztály

## Jelmagyarázat

