NATIONAL LEVEL		
1. General information		
1.1 Member State	ни	
1.2 Species code	4016	
1.3 Species scientific name	Dorcadion fulvum cervae	
1.4 Alternative species scientific name		
1.5 Common name (in national language)	pusztai gyalogcincér	
2. Maps		

2.1 Sensitive species	No
2.2 Year or period	2007-2018
2.3 Distribution map	Yes
2.4 Distribution map Method used	Complete survey or a statistically robust estimate
2.5 Additional maps	No

3. Information related to	Annex V Species (Art. 14)	
3.1 Is the species taken in the wild/exploited?	No	
3.2 Which of the measures in Art. 14 have been taken?	a) regulations regarding access to property	No
	b) temporary or local prohibition of the taking of specimens in the wild and exploitation	No
	c) regulation of the periods and/or methods of taking specimens	No
	d) application of hunting and fishing rules which take account of the conservation of such populations	No
	e) establishment of a system of licences for taking specimens or of quotas	No
	f) regulation of the purchase, sale, offering for sale, keeping for sale or transport for sale of specimens	No
	g) breeding in captivity of animal species as well as artificial propagation of plant species	No
	h) other measures	No

2019.11.26. 11:16:01 Page 1 of 6

3.3 Hunting bag or quantity taken in the wild for Mammals and Acipenseridae (Fish)

a) Unit

b) Statistics/ quantity taken	Provide statistics/quantity per hunting season or per year (where season is not used) over the reporting period					
	Season/ year 1	Season/ year 2	Season/ year 3	Season/ year 4	Season/ year 5	Season/ year 6
Min. (raw, ie. not rounded)						
Max. (raw, ie. not rounded)						
Unknown	No	No	No	No	No	No

3.4. Hunting bag or quantity taken in the wild Method used

3.5. Additional information

#### **BIOGEOGRAPHICAL LEVEL**

#### 4. Biogeographical and marine regions

4.1 Biogeographical or marine region where the species occurs

Pannonian (PAN)

4.2 Sources of information

#### 5. Range

5.1 Surface area

2000

5.2 Short-term trend Period

2007-2018

5.3 Short-term trend Direction

Stable (0)

5.4 Short-term trend Magnitude

a) Minimum

b) Maximum

5.5 Short-term trend Method used

Based mainly on extrapolation from a limited amount of data

5.6 Long-term trend Period

5.7 Long-term trend Direction

5.8 Long-term trend Magnitude

a) Minimum

b) Maximum

5.9 Long-term trend Method used

5.10 Favourable reference range a) A

a) Area (km²)

b) Operator Approximately equal to (≈)

c) Unknown

d) Method

5.11 Change and reason for change in surface area of range

Improved knowledge/more accurate data

The change is mainly due to: Improved knowledge/more accurate data

#### 5.12 Additional information

2019.11.26. 11:16:01 Page 2 of 6

#### 6. Population

6.2 Population size (in reporting unit) a) Unit number of map 1x1 km grid cells (grids1x1) b) Minimum	
c) Maximum d) Best single value 22	
6.3 Type of estimate Minimum	
6.4 Additional population size (using population unit other than reporting unit)  a) Unit b) Minimum c) Maximum d) Best single value	
6.5 Type of estimate	
6.6 Population size Method used Based mainly on expert opinion with very limited data	
6.7 Short-term trend Period 2007-2018	
6.8 Short-term trend Direction Unknown (x)	
a) Minimum b) Maximum c) Confidence interval	
6.10 Short-term trend Method used Insufficient or no data available	
6.11 Long-term trend Period	
6.12 Long-term trend Direction	
6.13 Long-term trend Magnitude  a) Minimum  b) Maximum  c) Confidence interval	
6.14 Long-term trend Method used	
6.15 Favourable reference population (using the unit in 6.2 or 6.4)  a) Population size b) Operator C) Unknown d) Method	
6.16 Change and reason for change in population size  Use of different method  The change is mainly due to: Use of different method	

6.17 Additional information

### 7. Habitat for the species

2019.11.26. 11:16:01 Page 3 of 6

7.1 Sufficiency of area and quality of occupied habitat

a) Are area and quality of occupied habitat sufficient (for long-term survival)?

Yes

b) Is there a sufficiently large area of unoccupied habitat of suitable quality (for long-term survival)?

7.2 Sufficiency of area and quality of occupied habitat Method used

Based mainly on extrapolation from a limited amount of data

2007-2018

7.4 Short-term trend Direction

Stable (0)

7.5 Short-term trend Method used

Based mainly on expert opinion with very limited data

7.6 Long-term trend Period

7.3 Short-term trend Period

7.7 Long-term trend Direction

7.8 Long-term trend Method used

7.9 Additional information

#### 8. Main pressures and threats

#### 8.1 Characterisation of pressures/threats

Pressure	Ranking
Abandonment of grassland management (e.g. cessation of grazing or mowing) (A06)	M
Burning for agriculture (A11)	M
Threat	Ranking
Solar power, including infrastructure (D03)	M

8.2 Sources of information

8.3 Additional information

#### 9. Conservation measures

9.1 Status of measures

a) Are measures needed?

Yes

b) Indicate the status of measures

Measures identified, but none yet taken

9.2 Main purpose of the measures taken

9.3 Location of the measures taken

9.4 Response to the measures

Medium-term results (within the next two reporting periods, 2019-2030)

9.5 List of main conservation measures

Reinstate appropriate agricultural practices to address abandonment, including mowing, grazing, burning or equivalent measures (CA04)

Management of habitats (others than agriculture and forest) to slow, stop or reverse natural processes (CL01)

9.6 Additional information

2019.11.26. 11:16:01 Page 4 of 6

#### 10. Future prospects

10.1 Future prospects of parameters

a) Range Good

Unknown

b) Population

Unknowr Good

c) Habitat of the species

10.2 Additional information

#### 11. Conclusions

11.1. Range

Favourable (FV)

11.2. Population

Unknown (XX)

11.3. Habitat for the species

Favourable (FV)

11.4. Future prospects

Favourable (FV)

11.5 Overall assessment of Conservation Status

Favourable (FV)

11.6 Overall trend in Conservation

Stable (=)

Status
11.7 Change and reasons for change

a) Overall assessment of conservation status

in conservation status and conservation status trend

No change

The change is mainly due to:

b) Overall trend in conservation status

No change

The change is mainly due to:

11.8 Additional information

#### 12. Natura 2000 (pSCIs, SCIs and SACs) coverage for Annex II species

12.1 Population size inside the pSCIs, SCIs and SACs network (on the biogeographical/marine level including all sites where the species is present)

a) Unit

number of map 1x1 km grid cells (grids1x1)

- b) Minimum
- c) Maximum
- d) Best single value 22

12.2 Type of estimate

Minimum

12.3 Population size inside the network Method used

Based mainly on extrapolation from a limited amount of data

12.4 Short-term trend of population size within the network Direction

Unknown (x)

12.5 Short-term trend of population size within the network Method used

Insufficient or no data available

12.6 Additional information

#### 13. Complementary information

2019.11.26. 11:16:01 Page 5 of 6

13.1 Justification of % thresholds for trends

13.2 Trans-boundary assessment

13.3 Other relevant Information

2019.11.26. 11:16:01 Page 6 of 6

# Az élőhelyvédelmi irányelv 17. cikke alapján készített országjelentés 2019 Pusztai gyalogcincér (Dorcadion fulvum cervae) II. és IV. melléklet Jelmagyarázat Előfordulás (Distribution) Forrás: Agrárminisztérium, 50 Kilometers Természetmegőrzési Főosztály