NATIONAL LEVEL			
1. General information			
1.1 Member State	ни		
1.2 Species code	2484		
1.3 Species scientific name	Eudontomyzon mariae		
1.4 Alternative species scientific name			
1.5 Common name (in national language)	dunai ingola		
2 Mans			

2. Maps

2.1 Sensitive species	No
2.2 Year or period	2013-2018
2.3 Distribution map	Yes
2.4 Distribution map Method used	Based mainly on extrapolation from a limited amount of data
2.5 Additional maps	No

3. Information related to Annex V Species (Art. 14)

3.1 Is the species taken in the wild/exploited?	No	
3.2 Which of the measures in Art.14 have been taken?	a) regulations regarding access to propertyb) temporary or local prohibition of the taking of specimens in the wild and exploitation	No No
	c) regulation of the periods and/or methods of taking specimens	No
	d) application of hunting and fishing rules which take account of the conservation of such populations	No
	e) establishment of a system of licences for taking	No

specimens or of quotas f) regulation of the purchase, sale, offering for sale, No keeping for sale or transport for sale of specimens g) breeding in captivity of animal species as well as No artificial propagation of plant species h) other measures No

2019.11.27. 9:08:41 Page 1 of 6

3.3 Hunting bag or quantity taken in the wild for Mammals and Acipenseridae (Fish)

a) Unit

b) Statistics/ quantity taken		statistics/c ere seaso			-	
	Season/	Season/	Season/	Season/	Season/	Season/
	year 1	year 2	year 3	year 4	year 5	year 6
Min. (raw, ie. not rounded)						
Max. (raw, ie. not rounded)						
Unknown	No	No	No	No	No	No

3.4. Hunting bag or quantity taken in the wild Method used

3.5. Additional information

BIOGEOGRAPHICAL LEVEL

4. Biogeographical and marine regions

4.1 Biogeographical or marine region where the species occurs

Pannonian (PAN)

4.2 Sources of information

Nemzeti Biodiverzitás-monitorozó Rendszer 2013-2018 közt végzett felméréseinek jelentései

Natura 2000 fenntartási tervek megalapozó adatai

5. Range

5.1 Surface area 4411

5.2 Short-term trend Period 2007-2018

5.3 Short-term trend Direction Uncertain (u)

5.4 Short-term trend Magnitude a) Minimum b) Maximum

5.5 Short-term trend Method used Based mainly on extrapolation from a limited amount of data

5.6 Long-term trend Period

5.7 Long-term trend Direction

5.8 Long-term trend Magnitude a) Minimum b) Maximum

5.9 Long-term trend Method used

5.10 Favourable reference range a) Area (km²)

b) Operator Approximately equal to (≈)

c) Unknown

d) Method

5.11 Change and reason for change in surface area of range

Use of different method

The change is mainly due to: Use of different method

2019.11.27. 9:08:41 Page 2 of 6

5.12 Additional information

We evaluate the 3 Eudontomyzon taxa together in the last report. The range of E. mariae included the E. vladykovi, we consider the change as other method was used.

6. Population

6.1 Year or period 2013-2018

6.2 Population size (in reporting unit)

a) Unit number of map 1x1 km grid cells (grids1x1)

b) Minimum

c) Maximum

d) Best single value 30

6.3 Type of estimate

Minimum

6.4 Additional population size (using population unit other than reporting unit)

a) Unit

b) Minimum

c) Maximum

d) Best single value

6.5 Type of estimate

6.6 Population size Method used

Based mainly on extrapolation from a limited amount of data

6.7 Short-term trend Period

2007-2018

6.8 Short-term trend Direction

Uncertain (u)

6.9 Short-term trend Magnitude

- a) Minimum
- b) Maximum
- c) Confidence interval

6.10 Short-term trend Method used

Based mainly on extrapolation from a limited amount of data

6.11 Long-term trend Period

6.12 Long-term trend Direction

6.13 Long-term trend Magnitude

- a) Minimum
- b) Maximum
- c) Confidence interval

6.14 Long-term trend Method used

6.15 Favourable reference population (using the unit in 6.2 or 6.4)

a) Population size

b) Operator

c) Unknown x

d) Method

6.16 Change and reason for change in population size

Use of different method

The change is mainly due to: Use of different method

6.17 Additional information

We consider the change of population unit from 10x10 km ETRS to 1x1 km ETRS as other method was used.

2019.11.27. 9:08:41 Page 3 of 6

7. Habitat for the species

7.1 Sufficiency of area and quality of occupied habitat

a) Are area and quality of occupied habitat sufficient (for long-term survival)?

No

b) Is there a sufficiently large area of unoccupied habitat of suitable quality (for long-term

Yes

survival)?

7.2 Sufficiency of area and quality of occupied habitat Method used

Based mainly on extrapolation from a limited amount of data

7.3 Short-term trend Period

2007-2018

7.4 Short-term trend Direction

Uncertain (u)

7.5 Short-term trend Method used

Based mainly on extrapolation from a limited amount of data

7.6 Long-term trend Period

7.7 Long-term trend Direction

7.8 Long-term trend Method used

7.9 Additional information

8. Main pressures and threats

8.1 Characterisation of pressures/threats

Pressure	Ranking
Mixed source pollution to surface and ground waters (limnic and terrestrial) (J01)	М
Shipping lanes, ferry lanes and anchorage infrastructure (e.g. canalisation, dredging) (E03)	Н
Threat	Ranking
Threat Mixed source pollution to surface and ground waters (limnic and terrestrial) (J01)	Ranking M
Mixed source pollution to surface and ground waters (limnic	M

8.2 Sources of information

8.3 Additional information

9. Conservation measures

9.1 Status of measures

a) Are measures needed?

Yes

b) Indicate the status of measures

Measures identified, but none yet taken

9.2 Main purpose of the measures taken

9.3 Location of the measures taken

9.4 Response to the measures

Medium-term results (within the next two reporting periods, 2019-2030)

9.5 List of main conservation measures

2019.11.27. 9:08:41 Page 4 of 6

Reduce impact of mixed source pollution (CJ01)

Reduce impact of multi-purpose hydrological changes (CJ02)

Reduce impact of transport operation and infrastructure (CE01)

9.6 Additional information

10. Future prospects

10.1 Future prospects of parameters

- a) Range Good
- b) Population Poor
- c) Habitat of the species Poor

10.2 Additional information

11. Conclusions

11.1. Range

11.2. Population

11.3. Habitat for the species

11.4. Future prospects

11.5 Overall assessment of Conservation Status

11.6 Overall trend in Conservation Status

11.7 Change and reasons for change in conservation status and conservation status trend

Favourable (FV)

Unknown (XX)

Unfavourable - Inadequate (U1)

Unfavourable - Inadequate (U1)

Unfavourable - Inadequate (U1)

Unknown (x)

a) Overall assessment of conservation status

No change

The change is mainly due to:

b) Overall trend in conservation status

No change

The change is mainly due to:

11.8 Additional information

The 3 Eudontomyzon taxa was evaluated together in the last report, we could not interpret the change only for the E. mariae.

12. Natura 2000 (pSCIs, SCIs and SACs) coverage for Annex II species

12.1 Population size inside the pSCIs, SCIs and SACs network (on the biogeographical/marine level including all sites where the species is present)

12.2 Type of estimate

12.3 Population size inside the network Method used

a) Unit

number of map 1x1 km grid cells (grids1x1)

- b) Minimum
- c) Maximum
- d) Best single value 30

Minimum

Based mainly on extrapolation from a limited amount of data

2019.11.27. 9:08:41 Page 5 of 6

12.4 Short-term trend of population size within the network Direction

Uncertain (u)

12.5 Short-term trend of population size within the network Method used

Based mainly on extrapolation from a limited amount of data

12.6 Additional information

13. Complementary information

13.1 Justification of % thresholds for trends

13.2 Trans-boundary assessment

13.3 Other relevant Information

2019.11.27. 9:08:41 Page 6 of 6

