NATIONAL LEVEL		
1. General information		
1.1 Member State	ни	
1.2 Species code	1256	
1.3 Species scientific name	Podarcis muralis	
1.4 Alternative species scientific name		
1.5 Common name (in national language)	fali gyík	

2. Maps

2.1 Sensitive species	No
2.2 Year or period	2013-2018
2.3 Distribution map	Yes
2.4 Distribution map Method used	Based mainly on extrapolation from a limited amount of data
2.5 Additional maps	No

3. Information related to Annex V Species (Art. 14)

3.1 Is the species taken in the wild/exploited?	Νο	
3.2 Which of the measures in Art.	a) regulations regarding access to property	No
14 have been taken?	b) temporary or local prohibition of the taking of specimens in the wild and exploitation	No
	c) regulation of the periods and/or methods of taking specimens	No
	d) application of hunting and fishing rules which take account of the conservation of such populations	No
	 e) establishment of a system of licences for taking specimens or of quotas 	No
	f) regulation of the purchase, sale, offering for sale, keeping for sale or transport for sale of specimens	No
	g) breeding in captivity of animal species as well as artificial propagation of plant species	No
	h) other measures	No

3.3 Hunting bag or quantity taken in the wild for Mammals and Acipenseridae (Fish)

-		2.4
-	 i r i	

b) Statistics/ quantity taken	Provide statistics/quantity per hunting season or per year (where season is not used) over the reporting period					
	Season/ year 1	Season/ year 2	Season/ year 3	Season/ year 4	Season/ year 5	Season/ year 6
Min. (raw, ie. not rounded)						
Max. (raw, ie. not rounded)						
Unknown	No	No	No	No	No	No

3.4. Hunting bag or quantity taken in the wild Method used

3.5. Additional information

BIOGEOGRAPHICAL LEVEL

4. Biogeographical and marine regions

4.1 Biogeographical or marine region where the species occurs	Pannonian (PAN)	
4.2 Sources of information	Jenő J. Purger, Zsófia Lanszki, Dávid Szép, Renáta Bocz (2017): Predation of common wall lizards: experiences from a study using scentless plasticine lizards. Acta Herpetologica 12 (2): pp. 181-186.	
	D. Jablonski, V. Gvoždík, L. Choleva, D. Jandzik, J. Moravec, Z. Mačát and M. Veselý (2019): Tracing the maternal origin of the common wall lizard (Podarcis muralis) on the northern range margin in Central Europe. Mitochondrion Vol. 46 pp. 149-157.	
	https://herpterkep.mme.hu/	
	A Nemzeti Biodiverzitás-Monitorozó Rendszer Keretében 2013-2018 Között Végzett Felmérések Kutatási Jelentései(Monitoring Reports (2013-2018) Of Hungarian Biodiversity Monitoring System)_	
5. Range		
5.1 Surface area	19307	
5.2 Short-term trend Period	2007-2018	
5.3 Short-term trend Direction	Stable (0)	
5.4 Short-term trend Magnitude	a) Minimum b) Maximum	
5.5 Short-term trend Method used	Based mainly on extrapolation from a limited amount of data	
5.6 Long-term trend Period		

5.7 Long-term trend Direction		
5.8 Long-term trend Magnitude	a) Minimum	b) Maximum
5.9 Long-term trend Method used		
5.10 Favourable reference range	a) Area (km²)	
	b) Operator	Approximately equal to (\approx)
	c) Unknown d) Method	
5.11 Change and reason for change in surface area of range	·	edge/more accurate data
	The change is mai	inly due to: Improved knowledge/more accurate data

5.12 Additional information

6. Population

6.1 Year or period	2013-2018
6.2 Population size (in reporting unit)	a) Unit number of map 1x1 km grid cells (grids1x1) b) Minimum c) Maximum d) Best single value 766
6.3 Type of estimate	Minimum
6.4 Additional population size (using population unit other than reporting unit)	a) Unit b) Minimum c) Maximum d) Best single value
6.5 Type of estimate	
6.6 Population size Method used	Based mainly on extrapolation from a limited amount of data
6.7 Short-term trend Period	2007-2018
6.8 Short-term trend Direction	Stable (0)
6.9 Short-term trend Magnitude	a) Minimum b) Maximum c) Confidence interval
6.10 Short-term trend Method used	Based mainly on extrapolation from a limited amount of data
6.11 Long-term trend Period	
6.12 Long-term trend Direction	
6.13 Long-term trend Magnitude	a) Minimum b) Maximum c) Confidence interval

6.14 Long-term trend Method used

6.15 Favourable reference population (using the unit in 6.2 or 6.4)	a) Population size b) Operator Approximately equal to (≈) c) Unknown d) Method
6.16 Change and reason for change in population size	Improved knowledge/more accurate data Use of different method The change is mainly due to: Improved knowledge/more accurate data

6.17 Additional information

7. Habitat for the species

7.1 Sufficiency of area and quality of occupied habitat	a) Are area and quality of occupied habitat Yes sufficient (for long-term survival)?
	b) Is there a sufficiently large area of unoccupied habitat of suitable quality (for long-term survival)?
7.2 Sufficiency of area and quality of occupied habitat Method used	Based mainly on extrapolation from a limited amount of data
7.3 Short-term trend Period	2007-2018
7.4 Short-term trend Direction	Stable (0)
7.5 Short-term trend Method used	Based mainly on extrapolation from a limited amount of data
7.6 Long-term trend Period	
7.7 Long-term trend Direction	
7.8 Long-term trend Method used	
7.9 Additional information	

8. Main pressures and threats

8.1 Characterisation of pressures/threats

Pressure	Ranking
Natural succession resulting in species composition change (other than by direct changes of agricultural or forestry practices) (L02)	Μ
Threat	Ranking
Natural succession resulting in species composition change (other than by direct changes of agricultural or forestry practices) (L02)	Μ

8.2 Sources of information

8.3 Additional information

9. Conservation measures		
9.1 Status of measures	a) Are measures needed?	No
	b) Indicate the status of measures	
9.2 Main purpose of the measures taken		
9.3 Location of the measures taken		
9.4 Response to the measures		
9.5 List of main conservation measures		

9.6 Additional information

10. Future prospects		
10.1 Future prospects of parameters	a) Range b) Population c) Habitat of the species	Good Good Good
10.2 Additional information		
11. Conclusions		
11.1. Range	Favourable (FV)	
11.2. Population	Favourable (FV)	
11.3. Habitat for the species	Favourable (FV)	
11.4. Future prospects	Favourable (FV)	
11.5 Overall assessment of Conservation Status	Favourable (FV)	
11.6 Overall trend in Conservation Status	Stable (=)	
11.7 Change and reasons for change in conservation status and conservation status trend	a) Overall assessment of conservation status	
	Improved knowledge/more accurate data	
	The change is mainly due	e to: Improved knowledge/more accurate data
	b) Overall trend in conse	rvation status
	No change	
	The change is mainly due	e to:
11.9 Additional information		

11.8 Additional information

12. Natura 2000 (pSCIs, SCIs and SACs) coverage for Annex II species

12.1 Population size inside the pSCIs, SCIs and SACs network (on the biogeographical/marine level including all sites where the species is present)

b) Minimum

a) Unit

c) Maximum

d) Best single value

12.2 Type of estimate

12.3 Population size inside the network Method used

12.4 Short-term trend of population size within the network Direction

12.5 Short-term trend of population size within the network Method used

12.6 Additional information

13. Complementary information

13.1 Justification of % thresholds for trends

13.2 Trans-boundary assessment

13.3 Other relevant Information

Az élőhelyvédelmi irányelv 17. cikke alapján készített országjelentés 2019

