NATIONAL LEVEL		
1. General information		
1.1 Member State	ни	
1.2 Species code	5197	
1.3 Species scientific name	Sabanejewia balcanica	
1.4 Alternative species scientific name		
1.5 Common name (in national language)	balkáni csík	
2. Maps		

2.1 Sensitive species	No
2.2 Year or period	2013-2018
2.3 Distribution map	Yes
2.4 Distribution map Method used	Based mainly on extrapolation from a limited amount of data
2.5 Additional maps	No

3. Information related to Annex V Species (Art. 14)

3.1 Is the species taken in the wild/exploited?	No	
3.2 Which of the measures in Art.	a) regulations regarding access to property	No
14 have been taken?	b) temporary or local prohibition of the taking of specimens in the wild and exploitation	No
	c) regulation of the periods and/or methods of taking specimens	No
	d) application of hunting and fishing rules which take account of the conservation of such populations	No
	 e) establishment of a system of licences for taking specimens or of quotas 	No
	f) regulation of the purchase, sale, offering for sale, keeping for sale or transport for sale of specimens	No
	g) breeding in captivity of animal species as well as artificial propagation of plant species	No
	h) other measures	No

3.3 Hunting bag or quantity taken in the wild for Mammals and Acipenseridae (Fish)

b) Statistics/ quantity taken	Provide statistics/quantity per hunting season or per year (where season is not used) over the reporting period					
	Season/ year 1	Season/ year 2	Season/ year 3	Season/ year 4	Season/ year 5	Season/ year 6
Min. (raw, ie. not rounded)						
Max. (raw, ie. not rounded)						
Unknown	No	No	No	No	No	No

3.4. Hunting bag or quantity taken in the wild Method used

3.5. Additional information

BIOGEOGRAPHICAL LEVEL

4. Biogeographical and marine regions

4.1 Biogeographical or marine region where the species occurs	Pannonian (PAN)		
4.2 Sources of information	Nemzeti Biodiverzitás-monitorozó Rendszer 2013-2018 közt végzett felméréseinek jelentései		
5. Range			
5.1 Surface area	15822		
5.2 Short-term trend Period	2007-2018		
5.3 Short-term trend Direction	Stable (0)		
5.4 Short-term trend Magnitude	a) Minimum b) Maximum		
5.5 Short-term trend Method used	Based mainly on extrapolation from a limited amount of data		
5.6 Long-term trend Period			
5.7 Long-term trend Direction			
5.8 Long-term trend Magnitude	a) Minimum b) Maximum		
5.9 Long-term trend Method used			
5.10 Favourable reference range	a) Area (km²)		
	b) Operator Approximately equal to (≈)		
	c) Unknown d) Method		
5.11 Change and reason for change in surface area of range	Improved knowledge/more accurate data Use of different method		
	The change is mainly due to: Use of different method		

5.12 Additional information	We could not distinguish the two taxa (S. balcanica and S. bulgarica), because data were collected in the reporting period as S. aurata. We prepared separate report with the same data for the two taxa. The range of the two taxa is overlapping, S. balcanica occurs the upper, while S. bulgarica the lower section of rivers.	
6. Population		
6.1 Year or period	2013-2018	
6.2 Population size (in reporting unit)	a) Unitnumber of map 1x1 km grid cells (grids1x1)b) Minimum-c) Maximum-d) Best single value236	
6.3 Type of estimate	Minimum	
6.4 Additional population size (using population unit other than reporting unit)	a) Unit b) Minimum c) Maximum d) Best single value	
6.5 Type of estimate		
6.6 Population size Method used	Based mainly on extrapolation from a limited amount of data	
6.7 Short-term trend Period	2007-2018	
6.8 Short-term trend Direction	Stable (0)	
6.9 Short-term trend Magnitude	a) Minimum b) Maximum c) Confidence interval	
6.10 Short-term trend Method used	Based mainly on extrapolation from a limited amount of data	
6.11 Long-term trend Period		
6.12 Long-term trend Direction		
6.13 Long-term trend Magnitude	a) Minimum b) Maximum c) Confidence interval	
6.14 Long-term trend Method used		
6.15 Favourable reference population (using the unit in 6.2 or 6.4)	a) Population size b) Operator Approximately equal to (≈) c) Unknown d) Method	
6.16 Change and reason for change in population size	Improved knowledge/more accurate data Use of different method	
	The change is mainly due to: Use of different method	

6.17 Additional information

7. Habitat for the species

7.1 Sufficiency of area and quality of occupied habitat	a) Are area and quality of occupied habitat Yes sufficient (for long-term survival)?	
	b) Is there a sufficiently large area of unoccupied habitat of suitable quality (for long-term survival)?	
7.2 Sufficiency of area and quality of occupied habitat Method used	Based mainly on extrapolation from a limited amount of data	
7.3 Short-term trend Period	2007-2018	
7.4 Short-term trend Direction	Stable (0)	
7.5 Short-term trend Method used	Based mainly on extrapolation from a limited amount of data	
7.6 Long-term trend Period		
7.7 Long-term trend Direction		
7.8 Long-term trend Method used		

7.9 Additional information

8. Main pressures and threats

8.1 Characterisation of pressures/threats

Pressure	Ranking
Modification of hydrological flow (K04)	Μ
Mixed source pollution to surface and ground waters (limnic and terrestrial) (J01)	Μ
Shipping lanes, ferry lanes and anchorage infrastructure (e.g. canalisation, dredging) (E03)	Μ
Threat	Ranking
Modification of hydrological flow (K04)	Μ
Mixed source pollution to surface and ground waters (limnic and terrestrial) (J01)	Μ
Shipping lanes, ferry lanes and anchorage infrastructure (e.g. canalisation, dredging) (E03)	Μ
8.2 Sources of information	
8.3 Additional information	
9. Conservation measures	

9. Conservation measures

9.1 Status of measures

a) Are measures needed?

b) Indicate the status of measures

ded?

Yes

Measures identified, but none yet taken

9.2	Main	purpose	of the	measures
take	en			

9.3 Location of the measures taken

9.4 Response to the measures

Medium-term results (within the next two reporting periods, 2019-2030)

9.5 List of main conservation measures

Reduce impact of mixed source pollution (CJ01)

Reduce impact of multi-purpose hydrological changes (CJ02)

Restore habitats impacted by multi-purpose hydrological changes (CJ03)

Other measures related to mixed source pollution and multi-purpose human-induced changes in hydraulic conditions (CJ04)

9.6 Additional information

10. Future prospects

10.1 Future prospects of parameters	a) Range	Good
	b) Population	Good
	c) Habitat of the species	Unknown

10.2 Additional informationDevelopment of waterway on River Danube and a project in Middle-Tisa section
may modify the habitat of the species in the future.

11. Conclusions

11.1. Range	Favourable (FV)
11.2. Population	Favourable (FV)
11.3. Habitat for the species	Favourable (FV)
11.4. Future prospects	Favourable (FV)
11.5 Overall assessment of Conservation Status	Favourable (FV)
11.6 Overall trend in Conservation Status	Stable (=)
11.7 Change and reasons for change in conservation status and	a) Overall assessment of conservation status
	No change
conservation status trend	The change is mainly due to:
	b) Overall trend in conservation status
	Improved knowledge/more accurate data Use of different method
	The change is mainly due to: Use of different method

11.8 Additional information

12. Natura 2000 (pSCIs, SCIs and SACs) coverage for Annex II species

12.1 Population size inside the pSCIs, SCIs and SACs network (on the biogeographical/marine level including all sites where the species is present)	a) Unit b) Minimum c) Maximum d) Best single value	number of map 1x1 km grid cells (grids1x1) 219
12.2 Type of estimate	Minimum	
12.3 Population size inside the network Method used	Based mainly on extr	apolation from a limited amount of data
12.4 Short-term trend of population size within the network Direction	Stable (0)	
12.5 Short-term trend of population size within the network Method used	Based mainly on extr	apolation from a limited amount of data
12.6 Additional information		

13. Complementary information

13.1 Justification of % thresholds for trends

13.2 Trans-boundary assessment

13.3 Other relevant Information

