

Bird species' status and trends reporting format for the period 2008-2012 (Annex 2)

1. Species Information

| | |
|-------------------------------|--------------------|
| 1.1 Member State | Hungary |
| 1.2.2 Natura 2000 code | A238 |
| 1.3 Species name | Dendrocopos medius |
| 1.3.1 Sub-specific population | |
| 1.4 Alternative species name | |
| 1.5 Common name | közép fakopáncs |
| 1.6 Season | Breeding (B) |

2. Population size

| | |
|----------------------|---|
| 2.1 Year or period | 1999-2012 |
| 2.2 Population size | a)unit number of pairs (p) b)minimum 7000 c)maximum 16000 |
| 2.3 Type of estimate | Estimate derived from sample survey (95% CI range) |
| 2.4 Method used | Estimate based on partial data with some extrapolation and/or modelling (2) |
| 2.5 Quality | Moderate (2) |
| 2.6 Sources | MME Nomenclator Bizottság (2008): Magyarország madarainak névjegyzéke. Nomenclator avium Hungariae. Magyar Madártani és Természetvédelmi Egyesület, Budapest. p. 278. |

2.8 Additional information

3. Population trend

3.1 Short-term trend (last 12 years)

| | |
|-----------------------|---|
| 3.1.1 Period | 1999-2012 |
| 3.1.2 Trend direction | Stable (0) |
| 3.1.3 Magnitude | a)Min b)Max |
| 3.1.4 Method used | Estimate based on partial data with some extrapolation and/or modelling (2) |
| 3.1.5 Quality | Moderate (2) |
| 3.1.6 Sources | National common bird monitoring scheme (MMM) database. Szép, T., Nagy, K., Nagy, Zs. and Halmos, G. (in press) Population trends of common breeding and wintering birds in Hungary, decline of long-distance migrant and farmland birds during 1999-2012. <i>Ornis Hungarica</i> . |

3.2 Long-term trend (since c. 1980)

| | |
|----------------------------|--|
| 3.2.1 Period | 1980-2012 |
| 3.2.2 Trend direction | Unknown (x) |
| 3.2.3 Magnitude | a)Min b)Max |
| 3.2.4 Method used | Absent data (0) |
| 3.2.5 Quality | N/A |
| 3.2.6 Sources | |
| 3.3 Additional information | Short term trend analysed by TRIM. |

4. Breeding distribution map and range size

Bird species' status and trends reporting format for the period 2008-2012 (Annex 2)

| | |
|---------------------------------|--|
| 4.1 Year or period | 2000-2012 |
| 4.2 Sensitive species | No |
| 4.3 Distribution map | Yes |
| 4.4 Additional distribution map | No |
| 4.5 Range map | Yes |
| 4.6 Range surface area | 36114 |
| 4.7 Method used | Complete survey or a statistically robust estimate (3) |
| 4.8 Quality | Good (3) |
| 4.9 Sources | National common bird monitoring scheme (MMM) database. and Breeding bird (MME RTM) database. |
| 4.11 Additional information | The distribution and range map made by using breeding probability data. |

5. Breeding range trend

5.1 Short-term trend (last 12 years)

| | |
|-----------------------|--|
| 5.1.1 Period | 2000-2012 |
| 5.1.2 Trend direction | Stable (0) |
| 5.1.3 Magnitude | a)Min b)Max |
| 5.1.4 Method used | Estimate based on expert opinion with no or minimal sampling (1) |
| 5.1.5 Quality | Poor (1) |
| 5.1.6 Sources | National Park Directorates' databases. |

5.2 Long-term trend (since c. 1980)

| | |
|----------------------------|--|
| 5.2.1 Period | 1980-2012 |
| 5.2.2 Trend direction | Stable (0) |
| 5.2.3 Magnitude | a)Min b)Max |
| 5.2.4 Method used | Estimate based on expert opinion with no or minimal sampling (1) |
| 5.2.5 Quality | Poor (1) |
| 5.2.6 Sources | Consultation with national experts. |
| 5.3 Additional information | |

6. Progress in work related to international Species Action Plans (SAPs), Management Plans (MPs) and Brief Management Statements (BMSs)

| | |
|-----------------------------------|--------------|
| 6.1 Type of plan | No Plan (NA) |
| 6.2 National plan adopted? | N/A |
| 6.3 Measures linked to SAP/MP/BMS | |
| 6.4 Further Information | |

Bird species' status and trends reporting format for the period 2008-2012 (Annex 2)

7. Main pressures and threats

| Pressure | impact | quality | location | sources |
|--|---------------------|----------|-----------------------------|-------------------|
| Forest and Plantation management & use (B02) | high importance (H) | Poor (1) | Inside the Member State (4) | Szakértői becslés |
| use of biocides, hormones and chemicals (forestry) (B04) | low importance (L) | Poor (1) | Inside the Member State (4) | Szakértői becslés |

8. SPA coverage and conservation measures

8.1 Population inside the SPA network

| | | | | | | |
|--------------------------------------|--|---------------------|-----------|------|-----------|------|
| 8.1.1 Population size | a)unit | number of pairs (p) | b)minimum | 1900 | c)maximum | 2900 |
| 8.1.2 Method used | Estimate based on expert opinion with no or minimal sampling (1) | | | | | |
| 8.1.3 Short-term trend of population | N/A | | | | | |

8.2 Conservation Measures

| 8.2.1 Measure | 8.2.2 Type | 8.2.3 Ranking | 8.2.4 Location | 8.2.5 Broad Evaluation |
|--|------------------------------------|-----------------------|----------------|------------------------|
| Restoring/improving forest habitats (3.1) | Legal Administrative One-off | high importance (H) | Inside | Enhance |
| Adapt forest management (3.2) | Administrative Recurrent | high importance (H) | Inside | Maintain |
| Establish protected areas/sites (6.1) | Legal One-off | medium importance (M) | Inside | Maintain |
| Legal protection of habitats and species (6.3) | Legal One-off | medium importance (M) | Both | Maintain |

Térképmelléklet a madárvédelmi irányelv 12. cikke alapján készített országjelentéshez 2013.

közép fakopáncs (*Dendrocopos medius*)

jelölő faj (I. melléklet)

