

# Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

CODE: 6510

NAME: Lowland hay meadows (*Alopecurus pratensis*, *Sanguisorba officinalis*)

## 1. National Level

### 1.1 Maps

1.1.1 Distribution Map	Yes
1.1.2 Distribution Method	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2007-2012
1.1.4 Additional map	No
1.1.5 Range Map	Yes

## 2. Biogeographical Or Marine Level

2.1 Biogeographical Region

**Pannonian (PAN)**

2.2 Published

Bölöni J., Molnár Zs. & Kun A (2011): Magyarország Élőhelyei Vegetációtípusok leírása és határozója ÁNÉR 2011: MTA Ökológiai és Botanikai Kutatóintézete, Vácrátót.

A Nemzeti Biodiverzitás-monitorozó Rendszer keretében 2007-2012 között végzett felmérések kutatási jelentése

### 2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km <sup>2</sup> )	49426
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	stable (0)
2.3.5 Short-term trend magnitude	min                          max
2.3.6 Long-term trend period	N/A
2.3.7 Long-term trend direction	min                          max
2.3.8 Long-term trend magnitude	area (km <sup>2</sup> )                          operator                          unknown                          method
2.3.9 Favourable reference range	approximately equal to (≈) No
2.3.10 Reason for change	Improved knowledge/more accurate data

### 2.4 Area covered by Habitat

2.4.1 Surface area (km <sup>2</sup> )	270
2.4.2 Year or period	2007-2012
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)
2.4.4 Short-term trend period	2001-2012
2.4.5 Short-term trend direction	stable (0)
2.4.6 Short-term trend magnitude	min                          max

# Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.4.7 Short term trend method used	Estimate based on partial data with some extrapolation and/or modelling (2)	
2.4.8 Long-term trend period	N/A	
2.4.9 Long-term trend direction	min	max
2.4.10 Long-term trend magnitude	N/A	
2.4.11 Long term trend method used		
2.4.12 Favourable reference area	area (km) operator unknown method	more than (>) No
2.4.13 Reason for change	Improved knowledge/more accurate data	

## 2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
agricultural intensification (A02.01)	high importance (H)	N/A
grassland removal for arable land (A02.03)	medium importance (M)	N/A
intensive mowing or intensification (A03.01)	low importance (L)	N/A
intensive grazing (A04.01)	low importance (L)	N/A
Fertilisation (A08)	low importance (L)	N/A
forest planting on open ground (B01)	low importance (L)	N/A
damage caused by game (excess population density) (F03.01.01)	medium importance (M)	N/A
Outdoor sports and leisure activities, recreational activities (G01)	medium importance (M)	N/A
invasive non-native species (I01)	high importance (H)	N/A
problematic native species (I02)	medium importance (M)	N/A
Canalisation & water deviation (J02.03)	medium importance (M)	N/A
species composition change (succession) (K02.01)	high importance (H)	N/A
accumulation of organic material (K02.02)	medium importance (M)	N/A

2.5.1 Method used – pressures based exclusively or to a larger extent on real data from sites/occurrences or other sources

## 2.6 Main Threats

Threat	ranking	pollution qualifier(s)
agricultural intensification (A02.01)	high importance (H)	N/A
grassland removal for arable land (A02.03)	medium importance (M)	N/A
intensive mowing or intensification (A03.01)	low importance (L)	N/A
intensive grazing (A04.01)	low importance (L)	N/A
Fertilisation (A08)	low importance (L)	N/A
forest planting on open ground (B01)	low importance (L)	N/A
damage caused by game (excess population density) (F03.01.01)	medium importance (M)	N/A
Outdoor sports and leisure activities, recreational activities (G01)	medium importance (M)	N/A
invasive non-native species (I01)	high importance (H)	N/A

# Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

problematic native species (I02)	medium importance (M)	N/A
Canalisation & water deviation (J02.03)	medium importance (M)	N/A
species composition change (succession) (K02.01)	high importance (H)	N/A
accumulation of organic material (K02.02)	medium importance (M)	N/A

## 2.6.1 Method used – threats

expert opinion (1)

## 2.7 Complementary Information

### 2.7.1 Species

*Alopecurus pratensis*

*Anthoxanthum odoratum*

*Arrhenatherum elatius*

*Briza media*

*Campanula patula*

*Centaurea jacea*

*Cirsium canum*

*Deschampsia caespitosa*

*Festuca pratensis*

*Galium mollugo agg.*

*Galium rubioides*

*Helictotrichon pubescens*

*Hypericum maculatum s.l.*

*Lathyrus pratensis*

*Lychnis flos-cuculi*

*Pimpinella major*

*Silaum silaus*

*Sanguisorba officinalis*

*Trifolium spp.*

*Trisetum flavescens*

*Vicia sepium*

*Ranunculus acris*

*Rinanthus minor*

*Anthriscus sylvestris*

*Arctium spp.*

*Carduus acanthoides*

*Calamagrostis epigeios*

*Cirsium arvense*

*Elymus repens*

*Phragmites australis*

*Rumex spp.*

*Silene latifolia*

# Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Urtica dioica

Aster adv. spp.

Erigeron annuus

Solidago adv. spp.

## 2.7.2 Species method used

NBmR 5x5 km-es kvadrátok és N2000 területek élőhelytérképezése, az NBmR monitorozásra kiválasztott társulásainak cönológiai felvételezése, valamint a közösségi jelentőségű élőhelytípusok monitorozása eredményeinek összegzése és értékelése alapján.

## 2.7.3 Justification of % - thresholds for trends

## 2.7.4 Structure and functions - methods used

## 2.7.5 Other relevant information

Estimate based on partial data with some extrapolation and/or modelling (2)

A struktúra-funkció megítélése 5 komponensű (fajkészlet, fragmentáltság, inváziós fertőzöttség, termőhelyi sérülékenység, kezelések sikeressége) szempontrendszer alapján történt.

## 2.8 Conclusions (assessment of conservation status at end of reporting period)

### 2.8.1 Range

assessment Favourable (FV)

qualifiers N/A

### 2.8.2 Area

assessment Inadequate (U1)

qualifiers stable (=)

### 2.8.3 Specific structures and functions (incl Species)

assessment Inadequate (U1)

qualifiers stable (=)

### 2.8.4 Future prospects

assessment Inadequate (U1)

qualifiers stable (=)

### 2.8.5 Overall assessment of Conservation Status

Inadequate (U1)

### 2.8.5 Overall trend in Conservation Status

stable (=)

## 3. Natura 2000 coverage conservation measures -

## Annex I habitat types on biogeographical level

### 3.1 Area covered by habitat

#### 3.1.1 Surface area (km<sup>2</sup>)

min 205 max 220

#### 3.1.2 Method used

Estimate based on partial data with some extrapolation and/or modelling (2)

#### 3.1.3. Trend of surface area

N/A

### 3.2 Conversation Measures

3.2.1 Measure	3.2.2 Type	3.2.3 Ranking	3.2.4 Location	3.2.5 Broad Evaluation
Other agriculture-related measures (2.0)	Legal Administrative Contractual Recurrent	high importance (H)	Both	Maintain Enhance Long term
Maintaining grasslands and other open habitats (2.1)	Recurrent	high importance (H)	Both	Maintain Enhance Long term

# **Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)**

Adapt forest management (3.2)	Administrative Recurrent	high importance (H)	Both	Maintain
Restoring/improving the hydrological regime (4.2)	Contractual Recurrent	medium importance (M)	Both	Enhance
Establish protected areas/sites (6.1)	Legal Recurrent	high importance (H)	Inside	Long term

**Térképmelléklet az élőhelyvédelmi irányelv 17. cikke alapján készített országjelentéshez  
2013.**

**6510 Sík- és dombvidéki kaszálórétek**

