Report on the main results of the surveillance under Article 17 for Annex I habitat types (Annex D)

NATIONAL LEVEL	
1. General information	
1.1 Member State	**HU**
1.2 Habitat code	**6110 - Rupicolous calcareous or basophilic grasslands of the Alysso-Sedion al**
2. Maps	
2.1 Year or period	2017-2018
2.3 Distribution map	Yes
2.3 Distribution map Method used	Complete survey or a statistically robust estimate
2.4 Additional maps	No

BIOGEOGRAPHICAL LEVEL	
3. Biogeographical and marine regions	
3.1 Biogeographical or marine region where the habitat occurs	**Pannonian (PAN)**
3.2 Sources of information	„A közösségi jelentőségű fajok és élőhelyek megőrzését szolgáló tudásbázis fejlesztése " (KEHOP-4.3.0-VEKOP-15-2016-00001) projekt adatai
4. Range	
4.1 Surface area	3267
4.2 Short-term trend Period	2007-2018
4.3 Short-term trend Direction	Stable (0)
4.4 Short-term trend Magnitude	a) Minimum b) Maximum
4.5 Short-term trend Method used	Based mainly on extrapolation from a limited amount of data
4.6 Long-term trend Period	
4.7 Long-term trend Direction	
4.8 Long-term trend Magnitude	a) MInimum b) Maximum
4.9 Long-term trend Method used	Based mainly on extrapolation from a limited amount of data
4.10 Favourable reference range	a) Area (km²)
	b) Operator Approximately equal to (≈)
	c) Unknown Yes
	d) Method
4.11 Change and reason for change in surface area of range	Improved knowledge/more accurate data
	Use of different method
	The change is mainly due to: Improved knowledge/more accurate data
4.12 Additional information	
5. Area covered by habitat	
5.1 Year or period	2017-2018
5.2 Surface area (in km²)	a) Minimum 0,2 b) Maximum 0,5 c) Best single value
5.3 Type of estimate	Best estimate
5.4 Surface area Method used	Complete survey or a statistically robust estimate
5.5 Short-term trend Period	2007-2018

Report on the main results of the surveillance under Article 17 for Annex I habitat types (Annex D)

5.6 Short-term trend Direction	Stable (0)		
5.7 Short-term trend Magnitude	a) Minimum	b) Maximum	c) Confidence interval
5.8 Short-term trend Method used	Based mainly on extrapolation from a limited amount of data		
5.9 Long-term trend Period			
5.10 Long-term trend Direction			
5.11 Long-term trend Magnitude	a) Minimum	b) Maximum	c) Confidence interval
5.12 Long-term trend Method used			
5.13 Favourable reference area	a) Area (km²)		
	b) Operator	More than (>)	
	c) Unknown	Yes	
	d) Method		
5.14 Change and reason for change in surface area of range	Improved knowledge/more accurate data		
	Use of different method		
	The change is mainly due to:	Improved knowledge/more accurate data	
5.15 Additional information			

6. Structure and functions

6.1 Condition of habitat	a) Area in good condition (km²)	Minimum	0,2	Maximum	0,5
	b) Area in not-good condition (km²)	Minimum	0	Maximum	0
	c) Area where condition is not known (km²)	Minimum	0	Maximum	0
6.2 Condition of habitat Method used	Complete survey or a statistically robust estimate				
6.3 Short-term trend of habitat area in good condition Period	20072018				
6.4 Short-term trend of habitat area in good condition Direction	Stable (0)				
6.5 Short-term trend of habitat area in good condition Method used	Based mainly on extrapolation from a limited amount of data				
6.6 Typical species	Has the list of typical species changed in comparison to the previous reporting period?			Yes	
6.7 Typical species Method used	Sedum album, Allium flavum, Acinos arvensis, Melica ciliata, Sanguisorba minor, Arenaria serpyllifolia, Poa bulbosa, Asplenium ruta-muraria, Jovibarba hirta, Seseli osseum, Sedum acre, Aurinia saxatilis				
6.8 Additional information					

7. Main pressures and threats

7.1 Characterisation of pressures/threats

Pressure	Ranking
Sports, tourism and leisure activities (F07)	M
Interspecific relations (competition, predation, parasitism, pathogens) (L06)	M

Threat	Ranking
Sports, tourism and leisure activities (F07)	M

Interspecific relations (competition, predation, parasitism, pathogens) (L06)	M

7.2 Sources of information	
7.3 Additional information	

8. Conservation measures

8.1 Status of measures	a) Are measures needed?	No
	b) Indicate the status of measures	

8.2 Main purpose of the measures taken	
8.3 Location of the measures taken	
8.4 Response to the measures	
8.5 List of main conservation measures	

8.6 Additional information	

9. Future prospects

9.1 Future prospects of parameters	a) Range	Good
	b) Area	Poor
	c) Structure and functions	Good

9.2 Additional information	

10. Conclusions

10.1. Range	Favourable (FV)
10.2. Area	Unfavourable - Inadequate (U1)
10.3. Specific structure and functions (incl. typical species)	Favourable (FV)
10.4. Future prospects	Unfavourable - Inadequate (U1)
10.5 Overall assessment of Conservation Status	Unfavourable - Inadequate (U1)
10.6 Overall trend in Conservation Status	Stable (=)
10.7 Change and reasons for change in conservation status and conservation status trend	a) Overall assessment of conservation status
	No change
	The change is mainly due to:
	b) Overall trend in conservation status
	No change
	The change is mainly due to:
10.8 Additional information	

11. Natura 2000 (pSCIs, SCIs, SACs) coverage for Annex I habitat types

# Report on the main results of the surveillance under Article 17 for Annex I habitat types (Annex D)

11.1 Surface area of the habitat type inside the pSCIs, SCIs and SACs network (in km² in biogeographical/ marine region)	a) Minimum	0,15
	b) Maximum	0,35
	c) Best single value	
11.2 Type of estimate	Best estimate	
11.3 Surface area of the habitat type inside the network Method used	Complete survey or a statistically robust estimate	
11.4 Short-term trend of habitat area in good condition within the network Direction	Stable (0)	
11.5 Short-term trend of habitat area in good condition within network Method used	Based mainly on extrapolation from a limited amount of data	
11.6 Additional information		

12. Complementary information

12.1 Justification of % thresholds for trends	
12.2 Other relevant information	

Az élőhelyvédelmi irányelv 17. cikke alapján készített országjelentés 2019

Fehér varjúhájas mészkedvelő sziklai pionír növényzet
6110

Jelmagyarázat

Előfordulás (Distribution)

0   25   50 Kilometers