Aument Habitat types (Aumen 2)			
NATIONAL LEVEL			
1. General information			
1.1 Member State	ни		
1.2 Habitat code	7210 - Calcareous fens with Cladium mariscus and species of the Caricion dav		
2. Maps			
2.1 Year or period	2013-2018		
2.3 Distribution map	Yes		
2.3 Distribution map Method used	Based mainly on extrapolation from a limited amount of data		
2.4 Additional maps	No		

BIOGEOGRAPHICAL LEVEL

3. Biogeographical and marine regions

3.1 Biogeographical or marine region where the habitat occurs	Pannonian (PAN)
3.2 Sources of information	Haraszthy L. (szerk.) (2014): Natura 2000 fajok és élőhelyek Magyarországon. ProVértes Közalapítvány, Csákvár, 955 pp Bölöni J., Molnár Zs. & Kun A (2011): Magyarország Élőhelyei Vegetációtípusok leírása és határozója ÁNÉR 2011: MTA Ökológiai és Botanikai Kutatóintézete,

Vácrátót. Natura 2000 fenntartási tervek megalapozó adatgyűjtése

4. Range

ii italige			
4.1 Surface area	3695		
4.2 Short-term trend Period	2007-2018		
4.3 Short-term trend Direction	Stable (0)		
4.4 Short-term trend Magnitude	a) Minimum		b) Maximum
4.5 Short-term trend Method used	Based mainly on	extrapolation	n from a limited amount of data
4.6 Long-term trend Period			
4.7 Long-term trend Direction			
4.8 Long-term trend Magnitude	a) MInimum		b) Maximum
4.9 Long-term trend Method used	Based mainly on	extrapolation	n from a limited amount of data
4.10 Favourable reference range	a) Area (km²)		
	b) Operator	Approxi	mately equal to (≈)
	c) Unknown	Yes	
	d) Method		
4.11 Change and reason for change	Genuine		
in surface area of range	The change is ma	inly due to:	Genuine change
	The change is ma	m, aac to.	certaine on ange

4.12 Additional information

5. Area covered by habitat

5.1 Year or period	2013-2018		
5.2 Surface area (in km²)	a) Minimum 10	b) Maximum 13	c) Best single value

2019.11.27. Page 1 of 4

5.3 Type of estimate	Best estimate			
5.4 Surface area Method used	Based mainly on extrapolation from a limited amount of data			
5.5 Short-term trend Period	2007-2018			
5.6 Short-term trend Direction	Increasing (+)			
5.7 Short-term trend Magnitude	a) Minimum	b) Ma	aximum	c) Confidence interval
5.8 Short-term trend Method used	Based mainly o	n extrapolation	from a limited amo	unt of data
5.9 Long-term trend Period				
5.10 Long-term trend Direction				
5.11 Long-term trend Magnitude	a) Minimum	b) Ma	aximum	c) Confidence interval
5.12 Long-term trend Method used				
5.13 Favourable reference area	a) Area (km²)			
	b) Operator	Approximately	⁄ equal to (≈)	
	c) Unknown	Yes		
	d) Method			
5.14 Change and reason for change	Genuine			
in surface area of range	The change is r	mainly due to:	Genuine change	

5.15 Additional information

6. Structure and functions

6.1 Condition of habitat	a) Area in good condition (km²)	Minimum 7	Maximum 9,1	L
	b) Area in not-good condition (km²)	Minimum 1	Maximum 1,3	3
	c) Area where condition is not known (km²)	Minimum 2	Maximum 2,6	5
6.2 Condition of habitat Method used	Based mainly on extrapolati	on from a limited amo	unt of data	
6.3 Short-term trend of habitat area in good condition Period	20072018			
6.4 Short-term trend of habitat area in good condition Direction	Increasing (+)			
6.5 Short-term trend of habitat area	Based mainly on extrapolati	on from a limited amo	unt of data	
in good condition Method used	Has the list of typical specie	s changed in comparis	on to the previous	No
6.6 Typical species	reporting period?	0 - 1 - P	, , , , , , , , , , , , , , , , , , ,	INO
6.7 Typical species Method used				
6.8 Additional information				

7. Main pressures and threats

7.1 Characterisation of pressures/threats

Pressure	Ranking
Droughts and decreases in precipitation due to climate change (NO2)	Н

2019.11.27. Page 2 of 4

Natural succession resulting in species composition change (other than by direct changes of agricultural or forestry practices) (LO2)	M
Drainage (K02)	Н
Threat	Ranking
Droughts and decreases in precipitation due to climate change (NO2)	Н
Natural succession resulting in species composition change (other than by direct changes of agricultural or forestry practices) (LO2)	M
Drainage (KO2)	Н

7.2 Sources of information

7.3 Additional information

8. Conservation measures

8.1 Status of measures	a) Are measures needed?	Yes
	h) Indicate the status of measures	Measures identified but none yet taken

8.2 Main purpose of the measures taken

8.3 Location of the measures taken

8.4 Response to the measures

Medium-term results (within the next two reporting periods, 2019-2030)

8.5 List of main conservation measures

Reduce impact of multi-purpose hydrological changes (CJ02)

Restore habitats impacted by multi-purpose hydrological changes (CJ03)

8.6 Additional information

9. Future prospects

9.1 Future prospects of parameters	a) Range	Good
	b) Area	Good
	c) Structure and functions	Good

9.2 Additional information

10. Conclusions

10.1. Range 10.2. Area	Favourable (FV) Favourable (FV)
10.3. Specific structure and functions (incl. typical species)	Favourable (FV)
10.4. Future prospects 10.5 Overall assessment of Conservation Status	Favourable (FV) Favourable (FV)

2019.11.27. Page 3 of 4

10.6 Overall trend in Conservation Status

10.7 Change and reasons for change in conservation status and conservation status trend

Improving (+)

a) Overall assessment of conservation status

No change

The change is mainly due to:

b) Overall trend in conservation status

Use of different method

The change is mainly due to: Use of different method

10.8 Additional information

11. Natura 2000 (pSCIs, SCIs, SACs) coverage for Annex I habitat types

11.1 Surface area of the habitat type inside the pSCIs, SCIs and SACs network (in km² in biogeographical/marine region)

a) Minimum 8,5

b) Maximum 11

c) Best single value

11.2 Type of estimate

11.3 Surface area of the habitat type inside the network Method used

11.4 Short-term trend of habitat area in good condition within the network Direction

11.5 Short-term trend of habitat area in good condition within network Method used

11.6 Additional information

Best estimate

Based mainly on extrapolation from a limited amount of data

Increasing (+)

Based mainly on extrapolation from a limited amount of data

12. Complementary information

12.1 Justification of % thresholds for trends

12.2 Other relevant information

2019.11.27. Page 4 of 4

