

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

0.1 Member State	HU
0.2.1 Species code	2016
0.2.2 Species name	Pipistrellus kuhlii
0.2.3 Alternative species scientific name	N/A
0.2.4 Common name	fehérszélű törpedenevér

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.1a Sensitive species	No
1.1.2 Method used - map	Estimate based on expert opinion with no or minimal sampling (1)
1.1.3 Year or period	2007-2012
1.1.4 Additional map	No
1.1.5 Range map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

Pannonian (PAN)

FEHÉR, CS. E. 2007. Fehérszélű törpedenevér *Pipistrellus kuhlii* (KUHL, 1819). Pp. 83-84. In: BIHARI, Z., CSORBA, G. & HELTAI, M. (szerk.): Magyarország emlőseinek atlasza. Kossuth Kiadó, Budapest.

ZSEBŐK, S., ESTÓK, P. & GÖRFÖL, T. 2012. Acoustic discrimination of *Pipistrellus kuhlii* (Kuhl, 1817) and *Pipistrellus nathusii* (Keyserling & Blasius, 1839) (Chiroptera: Vespertilionidae) and its application to assess changes in species distribution. Acta Zoologica Academiae Scientiarum Hungarica

2.3 Range

2.3.1 Surface area - Range (km ²)	21098
2.3.2 Method - Range surface area	Estimate based on expert opinion with no or minimal sampling (1)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	increase (+)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	N/A
2.3.7 Long-term trend direction	min max
2.3.8 Long-term trend magnitude	operator approximately equal to (≈) unkown No method
2.3.9 Favourable reference range	
2.3.10 Reason for change	Genuine Improved knowledge/more accurate data

2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit	number of individuals (i)		
	min	5000	max	30000
2.4.2 Population size (other than individuals)	Unit	N/A		
	min	max		
2.4.3 Additional information	Definition of locality Conversion method			

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

	Problems	
2.4.4 Year or period	2007-2012	
2.4.5 Method – population size	Estimate based on expert opinion with no or minimal sampling (1)	
2.4.6 Short-term trend period	2001-2012	
2.4.7 Short term trend direction	increase (+)	
2.4.8 Short-term trend magnitude	min max confidence interval	
2.4.9 Short-term trend method	Estimate based on expert opinion with no or minimal sampling (1)	
2.4.10 Long-term trend period	N/A	
2.4.11 Long term trend direction	min max confidence interval	
2.4.12 Long-term trend magnitude	N/A	
2.4.13 Long-term trend method	number operator approximately equal to (≈) unknown No method	
2.4.14 Favourable reference population	Genuine Improved knowledge/more accurate data	
2.4.15 Reason for change		
2.5 Habitat for the Species		
2.5.1 Surface area - Habitat (km ²)	5464	
2.5.2 Year or period	2007-2012	
2.5.3 Method used - habitat	Estimate based on expert opinion with no or minimal sampling (1)	
2.5.4 a) Quality of habitat	Good	
2.5.4 b) Quality of habitat - method	Lakott területeket kedvelő faj, élőhelyének kiterjedése ezért nő	
2.5.5 Short term trend period	2001-2012	
2.5.6 Short term trend direction	increase (+)	
2.5.7 Long-term trend period	N/A	
2.5.8 Long term trend direction	0	
2.5.9 Area of suitable habitat (km ²)	Genuine Improved knowledge/more accurate data	
2.5.10 Reason for change		
2.6 Main Pressures		
Pressure	ranking	pollution qualifier(s)
use of biocides, hormones and chemicals (A07)	medium importance (M)	N/A
wind energy production (C03.03)	medium importance (M)	N/A
intensive maintenance of public parks /cleaning of beaches (G05.05)	medium importance (M)	N/A
temperature changes (e.g. rise of temperature & extremes) (M01.01)	medium importance (M)	N/A
2.6.1 Method used – pressures	based only on expert judgements (1)	
2.7 Main Threats		
Threat	ranking	pollution qualifier(s)
use of biocides, hormones and chemicals (A07)	medium importance (M)	N/A
wind energy production (C03.03)	medium importance (M)	N/A
Vandalism (G05.04)	medium importance (M)	N/A
temperature changes (e.g. rise of temperature & extremes) (M01.01)	medium importance (M)	N/A

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.7.1 Method used – threats expert opinion (1)

2.8 Complementary Information

2.8.1 Justification of % thresholds for trends

2.8.2 Other relevant Information

2.8.3 Trans-boundary assessment

2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range assessment Favourable (FV)
qualifiers N/A

2.9.2. Population assessment Favourable (FV)
qualifiers N/A

2.9.3. Habitat assessment Favourable (FV)
qualifiers N/A

2.9.4. Future prospects assessment Favourable (FV)
qualifiers N/A

2.9.5 Overall assessment of Conservation Status

Favourable (FV)

2.9.5 Overall trend in Conservation Status

N/A

3. Natura 2000 coverage and conservation measures - Annex II species

3.1 Population

3.1.1 Population Size Unit N/A
min max

3.1.2 Method used N/A

3.1.3 Trend of population size within N/A

3.2 Conversation Measures

Térképmelléklet az élőhelyvédelmi irányelv 17. cikke alapján készített országjelentéshez
2013.

Fehérszélű törpedenevér (*Pipistrellus kuhlii*)

IV. melléklet

