

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

0.1 Member State	HU
0.2.1 Species code	1317
0.2.2 Species name	Pipistrellus nathusii
0.2.3 Alternative species scientific name	N/A
0.2.4 Common name	durvavitorlájú törpedenevér

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.1a Sensitive species	No
1.1.2 Method used - map	Estimate based on expert opinion with no or minimal sampling (1)
1.1.3 Year or period	2007-2012
1.1.4 Additional map	No
1.1.5 Range map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

Pannonian (PAN)

2.2 Published sources

Fehér, Cs. E. 2007. Durvavitorlájú törpedenevér *Pipistrellus nathusii* (Keyserling & Blasius, 1839). Pp. 85-86. In: Bihari, Z., Csorba, G. & Heltai, M. (szerk.): Magyarország emlőseinek atlasza. Kossuth Kiadó, Budapest.

Estók Péter
Seasonal changes in the sex ratio of *Nyctalus* species in north-east Hungary *Acta zoologica Academiae Scientiarum Hungaricae*, 2007. (53. évf.) 1. sz. 89-95. old.

Zsebők S. - Estók P. - Görföl T. Acoustic discrimination of *Pipistrellus kuhlii* and *Pipistrellus nathusii* (Chiroptera : Vespertilionidae) and its application to assess changes in species distribution *Acta zoologica Academiae Scientiarum Hungaricae*, 2012. (58. évf.) 2. sz. 199-209. old.

2.3 Range

2.3.1 Surface area - Range (km ²)	93011
2.3.2 Method - Range surface area	Estimate based on expert opinion with no or minimal sampling (1)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	stable (0)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	
2.3.7 Long-term trend direction	N/A
2.3.8 Long-term trend magnitude	min max
2.3.9 Favourable reference range	area (km ²) operator approximately equal to (≈) unkown No method
2.3.10 Reason for change	

2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit	number of individuals (i)
	min	8000 max 10000

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.4.2 Population size (other than individuals)	Unit	N/A	
	min		max
2.4.3 Additional information	Definition of locality		
	Conversion method		
	Problems		
2.4.4 Year or period	2007-2012		
2.4.5 Method – population size	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.6 Short-term trend period	2001-2012		
2.4.7 Short term trend direction	stable (0)		
2.4.8 Short-term trend magnitude	min	max	confidence interval
2.4.9 Short-term trend method	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.10 Long-term trend period			
2.4.11 Long term trend direction	N/A		
2.4.12 Long-term trend magnitude	min	max	confidence interval
2.4.13 Long-term trend method	N/A		
2.4.14 Favourable reference population	number		
	operator	approximately equal to (≈)	
	unknown	No	
	method		
2.4.15 Reason for change			

2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km ²)	4801
2.5.2 Year or period	2006
2.5.3 Method used - habitat	Estimate based on expert opinion with no or minimal sampling (1)
2.5.4 a) Quality of habitat	Moderate
2.5.4 b) Quality of habitat - method	A faj kedvelt élőhelyei az ártéri erdők, egyéb síkvidéki erdőterületek, melyeken az erdőgazdálkodás sokszor negatívan érinti őket.
2.5.5 Short term trend period	2001-2012
2.5.6 Short term trend direction	stable (0)
2.5.7 Long-term trend period	
2.5.8 Long term trend direction	N/A
2.5.9 Area of suitable habitat (km ²)	4801
2.5.10 Reason for change	

2.6 Main Pressures

Pressure	ranking	pollution qualifier(s)
use of biocides, hormones and chemicals (A07)	medium importance (M)	N/A
forestry clearance (B02.02)	high importance (H)	N/A
removal of dead and dying trees (B02.04)	medium importance (M)	N/A
wind energy production (C03.03)	medium importance (M)	N/A
Landfill, land reclamation and drying out, general (J02.01)	medium importance (M)	N/A
infilling of ditches, dykes, ponds, pools, marshes or pits (J02.01.03)	medium importance (M)	N/A
management of aquatic and bank vegetation for drainage purposes (J02.10)	medium importance (M)	N/A

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

Water abstractions from surface waters (J02.06) medium importance (M) N/A

2.6.1 Method used – pressures mainly based on expert judgement and other data (2)

2.7 Main Threats

Threat	ranking	pollution qualifier(s)
use of biocides, hormones and chemicals (A07)	medium importance (M)	N/A
forestry clearance (B02.02)	high importance (H)	N/A
removal of dead and dying trees (B02.04)	medium importance (M)	N/A
wind energy production (C03.03)	medium importance (M)	N/A
Landfill, land reclamation and drying out, general (J02.01)	medium importance (M)	N/A
infilling of ditches, dykes, ponds, pools, marshes or pits (J02.01.03)	medium importance (M)	N/A
management of aquatic and bank vegetation for drainage purposes (J02.10)	medium importance (M)	N/A
Water abstractions from surface waters (J02.06)	medium importance (M)	N/A

2.7.1 Method used – threats expert opinion (1)

2.8 Complementary Information

2.8.1 Justification of % thresholds for trends

2.8.2 Other relevant Information

2.8.3 Trans-boundary assessment

2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range assessment Favourable (FV)
qualifiers N/A

2.9.2. Population assessment Favourable (FV)
qualifiers N/A

2.9.3. Habitat assessment Favourable (FV)
qualifiers N/A

2.9.4. Future prospects assessment Favourable (FV)
qualifiers N/A

2.9.5 Overall assessment of Conservation Status Favourable (FV)

2.9.5 Overall trend in Conservation Status N/A

3. Natura 2000 coverage and conservation measures - Annex II species

3.1 Population

3.1.1 Population Size Unit N/A
min max

3.1.2 Method used N/A

3.1.3 Trend of population size within N/A

3.2 Conversation Measures

