

t the most important invasive plant species. This was  
e overview of biological invasion, and contain detailed  
*us altissima*, *Impatiens glandulifera*, *Amorpha frut*  
*Asclepias syriaca*, *Ambrosia artemisiifolia*, *Acer negun*  
*, Cabomba caroliniana*, *Ribes aureum*, *Robinia pseudo*  
*lobata*, *Aster novi-belgii* agg., *Xanthium strumarium*  
*ntalis*, *Elodea canadensis*, *E. nuttallii*, *Cenchrus incertu*  
characterisation, origin and distribution, life-cyc  
ces, bibliography of species or genus are presented.

Appearance and spread  
species and tree lines  
plantations (dark purple  
and 2000 in the F  
Irregular light purple  
spontaneous spread of  
*acacia* and *Ailanthu*

habitat

pdfMachine

Is a pdf writer that produces quality PDF files with ease!

Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.

Get yours now!

yellow

the most important invasive plant species. This was  
an overview of biological invasion, and contain detailed  
*Rhus altissima*, *Impatiens glandulifera*, *Amorpha fruticosa*,  
*Asclepias syriaca*, *Ambrosia artemisiifolia*, *Acer negundo*,  
*Cabomba caroliniana*, *Ribes aureum*, *Robinia pseudoacacia*,  
*Urtica dioica*, *Aster novi-belgii* agg., *Xanthium strumarium*,  
*Urtica dioica*, *Elodea canadensis*, *E. nuttallii*, *Cenchrus incertus*.  
characterisation, origin and distribution, life-cycles,  
ecology, bibliography of species or genus are presented.

Habitat map of Fülöpháza region

Appearance and spread of  
species and tree lines  
plantations (dark purple)  
and 2000 in the F  
Irregular light purple  
spontaneous spread of  
*acacia* and *Ailanthus*  
abandoned sandy area  
vineyards, and yellow

the most important invasive plant species. This was  
an overview of biological invasion, and contain detailed  
*us altissima*, *Impatiens glandulifera*, *Amorpha frut*  
*Asclepias syriaca*, *Ambrosia artemisiifolia*, *Acer negun*  
*, Cabomba caroliniana*, *Ribes aureum*, *Robinia pseudo*  
*lobata*, *Aster novi-belgii* agg., *Xanthium strumarium*  
*entalis*, *Elodea canadensis*, *E. nuttallii*, *Cenchrus incertu*  
characterisation, origin and distribution, life-cyc  
ces, bibliography of species or genus are presented.

---

---

Habitat map of Fülöpháza region

Appearance and spread  
species and tree lines  
plantations (dark purple  
and 2000 in the F  
Irregular light purple  
spontaneous spread of  
*acacia* and *Ailanthu*  
abandoned sandy are  
vineyards, and yellow

the most important invasive plant species. This was  
an overview of biological invasion, and contain detailed  
*us altissima*, *Impatiens glandulifera*, *Amorpha frut*  
*Asclepias syriaca*, *Ambrosia artemisiifolia*, *Acer negun*  
*, Cabomba caroliniana*, *Ribes aureum*, *Robinia pseudo*  
*lobata*, *Aster novi-belgii* agg., *Xanthium strumarium*  
*entalis*, *Elodea canadensis*, *E. nuttallii*, *Cenchrus incertu*  
characterisation, origin and distribution, life-cyc  
ces, bibliography of species or genus are presented.

---

---

Habitat map of Fülöpháza region

Appearance and spread  
species and tree lines  
plantations (dark purple  
and 2000 in the F  
Irregular light purple  
spontaneous spread of  
*acacia* and *Ailanthu*  
abandoned sandy are  
vineyards, and yellow

the most important invasive plant species. This was  
an overview of biological invasion, and contain detailed  
*us altissima*, *Impatiens glandulifera*, *Amorpha frut*  
*Asclepias syriaca*, *Ambrosia artemisiifolia*, *Acer negun*  
*, Cabomba caroliniana*, *Ribes aureum*, *Robinia pseudo*  
*lobata*, *Aster novi-belgii* agg., *Xanthium strumarium*  
*entalis*, *Elodea canadensis*, *E. nuttallii*, *Cenchrus incertu*  
characterisation, origin and distribution, life-cyc  
ces, bibliography of species or genus are presented.

---

---

Habitat map of Fülöpháza region

Appearance and spread  
species and tree lines  
plantations (dark purple  
and 2000 in the F  
Irregular light purple  
spontaneous spread of  
*acacia* and *Ailanthu*  
abandoned sandy are  
vineyards, and yellow

the most important invasive plant species. This was  
an overview of biological invasion, and contain detailed  
*us altissima*, *Impatiens glandulifera*, *Amorpha frut*  
*Asclepias syriaca*, *Ambrosia artemisiifolia*, *Acer negun*  
*, Cabomba caroliniana*, *Ribes aureum*, *Robinia pseudo*  
*lobata*, *Aster novi-belgii* agg., *Xanthium strumarium*  
*entalis*, *Elodea canadensis*, *E. nuttallii*, *Cenchrus incertu*  
characterisation, origin and distribution, life-cyc  
ces, bibliography of species or genus are presented.

---

---

Habitat map of Fülöpháza region

Appearance and spread  
species and tree lines  
plantations (dark purple  
and 2000 in the F  
Irregular light purple  
spontaneous spread of  
*acacia* and *Ailanthu*  
abandoned sandy are  
vineyards, and yellow

the most important invasive plant species. This was  
an overview of biological invasion, and contain detailed  
*us altissima*, *Impatiens glandulifera*, *Amorpha frut*  
*Asclepias syriaca*, *Ambrosia artemisiifolia*, *Acer negun*  
*, Cabomba caroliniana*, *Ribes aureum*, *Robinia pseudo*  
*lobata*, *Aster novi-belgii* agg., *Xanthium strumarium*  
*entalis*, *Elodea canadensis*, *E. nuttallii*, *Cenchrus incertu*  
characterisation, origin and distribution, life-cyc  
ces, bibliography of species or genus are presented.

---

---

Habitat map of Fülöpháza region

Appearance and spread  
species and tree lines  
plantations (dark purple  
and 2000 in the F  
Irregular light purple  
spontaneous spread of  
*acacia* and *Ailanthu*  
abandoned sandy are  
vineyards, and yellow

the most important invasive plant species. This was  
an overview of biological invasion, and contain detailed  
*us altissima*, *Impatiens glandulifera*, *Amorpha frut*  
*Asclepias syriaca*, *Ambrosia artemisiifolia*, *Acer negun*  
*, Cabomba caroliniana*, *Ribes aureum*, *Robinia pseudo*  
*lobata*, *Aster novi-belgii* agg., *Xanthium strumarium*  
*entalis*, *Elodea canadensis*, *E. nuttallii*, *Cenchrus incertu*  
characterisation, origin and distribution, life-cyc  
ces, bibliography of species or genus are presented.

---

---

Habitat map of Fülöpháza region

Appearance and spread  
species and tree lines  
plantations (dark purple  
and 2000 in the F  
Irregular light purple  
spontaneous spread of  
*acacia* and *Ailanthu*  
abandoned sandy are  
vineyards, and yellow



the most important invasive plant species. This was  
an overview of biological invasion, and contain detailed  
*us altissima*, *Impatiens glandulifera*, *Amorpha frut*  
*Asclepias syriaca*, *Ambrosia artemisiifolia*, *Acer negun*  
*, Cabomba caroliniana*, *Ribes aureum*, *Robinia pseudo*  
*lobata*, *Aster novi-belgii* agg., *Xanthium strumarium*  
*entalis*, *Elodea canadensis*, *E. nuttallii*, *Cenchrus incertu*  
characterisation, origin and distribution, life-cyc  
ces, bibliography of species or genus are presented.

---

---

Habitat map of Fülöpháza region

Appearance and spread  
species and tree lines  
plantations (dark purple  
and 2000 in the F  
Irregular light purple  
spontaneous spread of  
*acacia* and *Ailanthu*  
abandoned sandy are  
vineyards, and yellow

the most important invasive plant species. This was  
an overview of biological invasion, and contain detailed  
*us altissima*, *Impatiens glandulifera*, *Amorpha fruticosa*,  
*Asclepias syriaca*, *Ambrosia artemisiifolia*, *Acer negundo*,  
*Cabomba caroliniana*, *Ribes aureum*, *Robinia pseudoacacia*,  
*lobata*, *Aster novi-belgii* agg., *Xanthium strumarium*,  
*entalis*, *Elodea canadensis*, *E. nuttallii*, *Cenchrus incertus*.  
characterisation, origin and distribution, life-cycles,  
ces, bibliography of species or genus are presented.

---

---

Habitat map of Fülöpháza region

Appearance and spread of  
species and tree lines  
plantations (dark purple  
and 2000 in the F  
Irregular light purple  
spontaneous spread of  
*acacia* and *Ailanthus*  
abandoned sandy area  
vineyards, and yellow