

speciesname *Apium repens* fajnév **kúszó zeller**
 melléklet **II** speciescode **1614**

2.2 Published sources and/or websites

Molnár V. A. – Pfeiffer N. (1999): Adatok hazai Nanocyperion-fajok ismeretéhez II. Iszapnövényzet-kutatás az ár- és belvizek évében Magyarországon. – Kitaibelia 4(2): 391-421.

Range

2.3.1 Surface range of the species in km2 486
 2.3.2 Date of range determination 2006
 2.3.3 Quality of data concerning range Good e.g based on extensive surveys
 2.3.4 Range trend Decreasing (-)
 2.3.5 Range trend magnitude in km2 (optional)
 2.3.6 Range trend period 1900-2006
 2.3.7 range-reasons

| |
|--|
| Direct human influence (restoration, deterioration, destruction) |
| Improved knowledge/more accurate data |
| Indirect anthropo(zoo)genic influence |
| Natural processes |

and/or specify

Population

2.4.1 Population size estimation (minimum) 1000
 2.4.1 Population size estimation (maximum) 10000
 2.4.1 Population units Number of flowering st
 2.4.2 Date of population estimation 1999-2006
 2.4.3 Population-methods Extrapolation from surveys of part of the population or from sampling
 2.4.4 Quality of population data Moderate e.g. based o
 2.4.5 Population trend Decreasing (-)
 2.4.6 Population trend magnitude (km2)
 2.4.7 Population trend period 1999-2006
 2.4.8 Population-reasons

| |
|--|
| Direct human influence (restoration, deterioration, destruction) |
| Improved knowledge/more accurate data |
| Indirect anthropo(zoo)genic influence |

and/or specify

2.4.10 Population-pressures
 2.4.11 Population-threats

| |
|---|
| 101 - modification of cultivation practices |
| 621 - nautical sports |
| 950 Biocenotic evolution |
| 101 - modification of cultivation practices |
| 409 - other patterns of habitation |
| 621 - nautical sports |
| 950 Biocenotic evolution |

Habitat

2.5.1 Habitats for the species 3130, 3270, 6440
 2.5.2 Area estimation (km2) 0,07
 2.5.3 Date of estimation 1999-2006
 2.5.4 Quality of the data Good e.g based on extensive surveys
 2.5.5 Trend of the habitat Decreasing (-)
 2.5.6 Trend period 1999-2006
 2.5.7 Habitat-reasons
 Other (specify)

| |
|--|
| Direct human influence (restoration, deterioration, destruction) |
| Improved knowledge/more accurate data |
| Indirect anthropo(zoo)genic influence |

| | | | |
|-------------|---------------------|-------------|--------------|
| speciesname | <i>Apium repens</i> | fajnév | kúszó zeller |
| melléklet | II | speciescode | 1614 |

| |
|-------------------|
| Natural processes |
|-------------------|

Reference values

| | |
|--|---|
| <i>2.6 Future prospects for the species</i> | Poor prospects - species likely to struggle |
| <i>2.7.1 Favourable reference range (km2)</i> | 486 |
| <i>Qualifier</i> | |
| <i>2.7.2 Favourable reference population</i> | 5000 |
| <i>Qualifier</i> | |
| <i>2.7.3 Suitable habitat for the species</i> | 0,07 |
| <i>2.7.4 Other relevant information (optional)</i> | |


Conclusions

| | |
|---|-----------------|
| <i>Conclusions: (2.3) Range</i> | Inadequate (U1) |
| <i>Conclusions: (2.4) Population</i> | Inadequate (U1) |
| <i>Conclusions: (2.5) Habitat for the species</i> | Inadequate (U1) |
| <i>Conclusions: (2.6) Future prospects</i> | Inadequate (U1) |
| <i>Conclusions: Overall assessment</i> | Inadequate (U1) |



Térképmelléklet az élőhelyvédelmi irányelv 17. cikke alapján készített országjelentéshez 2007.

Kúszó zeller (*Apium repens*)

II., IV. melléklet



Jelmagyarázat

-  Elterjedés (range)
-  Kiterjedés (distribution)

