

speciesname *Barbastella barbastellus* fajnév **piszedenevér**

melléklet **II** speciescode **1308**

2.2 Published sources and/or websites

Bihari, Z., Heltai, M. és Csorba, G. (eds) Magyarország emlőseinek atlasza. Kossuth Kiadó, Budapest (in print)
Bihari, Z., Petrovics, Z. és Szentgyörgyi, P. 2000. A Zempléni-hegység emlősfajának (Mammalia). Folia Historico-naturalia Musei Matraensis, 24: 361-403.
Dobrosi, D. 1993. Adatok a Bükk denevérfaunájához. Folia Historico-naturalia Musei Matraensis, 18: 191-197.
Paulovics, P., Dombi, I. és Fehér, Cs. 1996. Téli denevérellenőrzések a Bakonyban. Denevérkutatás, 2: 10-15.
Tuboly, Á. 1997. A Börzsöny-hegység területén végzett denevérfaunisztikai vizsgálatok, valamint a hegység körüli területek migrációs kapcsolatainak vizsgálata a denevérek vándorlási útvonalain. Az I. Magyar Denevérvédelmi Konferencia kiadványa: 52-59.

Range

2.3.1 Surface range of the species in km² 23345,2
2.3.2 Date of range determination 2006
2.3.3 Quality of data concerning range Poor e.g. based on very incomplete data or o
2.3.4 Range trend Decreasing (-)
2.3.5 Range trend magnitude in km² (optional)
2.3.6 Range trend period 1996-2006
2.3.7 range-reasons

Direct human influence (restoration, deterioration, destruction)
Indirect anthropo(zoo)genic influence

and/or specify

Population

2.4.1 Population size estimation (minimum) 8000
2.4.1 Population size estimation (maximum) 20000
2.4.1 Population units Number of individuals
2.4.2 Date of population estimation 2006
2.4.3 Population-methods

Based on expert opinion
Extrapolation from surveys of part of the population or from sampling

2.4.4 Quality of population data Poor e.g. based on ver
2.4.5 Population trend Decreasing (-)
2.4.6 Population trend magnitude (km²)
2.4.7 Population trend period 1996-2006
2.4.8 Population-reasons

Direct human influence (restoration, deterioration, destruction)
Indirect anthropo(zoo)genic influence

and/or specify

2.4.10 Population-pressures

160 General Forestry management
164 - forestry clearance
166 - removal of dead and dying trees
624 - mountaineering, rock climbing, speleology
690 Other leisure and tourism impacts not referred to above

2.4.11 Population-threats

160 General Forestry management
164 - forestry clearance
166 - removal of dead and dying trees
624 - mountaineering, rock climbing, speleology
690 Other leisure and tourism impacts not referred to above

Habitat

2.5.1 Habitats for the species

speciesname	Barbastella barbastellus	fajnév	piszedenevér
melléklet	II	speciescode	1308

2.5.2 Area estimation (km2)	6929,6
2.5.3 Date of estimation	2006
2.5.4 Quality of the data	Poor e.g. based on very incomplete data
2.5.5 Trend of the habitat	Decreasing (-)
2.5.6 Trend period	1996-2006
2.5.7 Habitat-reasons	Direct human influence (restoration, deterioration, destruction)
Other (specify)	Indirect anthro(zoo)genic influence

Reference values

2.6 Future prospects for the species	Good prospects - species expected to sur
2.7.1 Favourable reference range (km2)	23345,2
Qualifier	
2.7.2 Favourable reference population	20000
Qualifier	
2.7.3 Suitable habitat for the species	6929,6
2.7.4 Other relevant information (optional)	


Conclusions

Conclusions: (2.3) Range	Inadequate and deteriorating (U1-)
Conclusions: (2.4) Population	Inadequate and deteriorating (U1-)
Conclusions: (2.5) Habitat for the species	Inadequate and deteriorating (U1-)
Conclusions: (2.6) Future prospects	Favourable (FV)
Conclusions: Overall assessment	Inadequate and deteriorating (U1-)



Térképmelléklet az élőhelyvédelmi irányelv 17. cikke alapján készített országjelentéshez
2007.

Piszedenevér (*Barbastella barbastellus*)

II., IV. melléklet



Jelmagyarázat

-  Elterjedés (range)
-  Kiterjedés (distribution)

