

speciesname	<i>Cucullia mixta</i>	fajnév	<b>vértesi csuklyásbagoly</b>
melléklet	<b>II</b>	speciescode	<b>4031</b>

## 2.2 Published sources and/or websites

LÁSZLÓ, M. GY. (2006): A vértési csuklyásbagoly (*Cucullia mixta loricata*) fajmegőrzési tervének megkezdése. Tanulmány. 17 p.  
 RONKAY, L. (2004): Vértési csuklyásbagoly (*Cucullia mixta loricata*). KvVM Természetvédelmi Hivatal, fajmegőrzési tervek. KvVM Budapest, 2004. 23 p.

## Range

2.3.1 Surface range of the species in km <sup>2</sup>	12
2.3.2 Date of range determination	2004
2.3.3 Quality of data concerning range	Moderate e.g. based on partial data with som
2.3.4 Range trend	Unknown (X)
2.3.5 Range trend magnitude in km <sup>2</sup> (optional)	
2.3.6 Range trend period	2002-2006
2.3.7 range-reasons and/or specify	Unknown

## Population

2.4.1 Population size estimation (minimum)	2
2.4.1 Population size estimation (maximum)	2
2.4.1 Population units	Number of localities
2.4.2 Date of population estimation	2004
2.4.3 Population-methods	From comprehensive inventory
2.4.4 Quality of population data	Moderate e.g. based o
2.4.5 Population trend	Unknown (X)
2.4.6 Population trend magnitude (km <sup>2</sup> )	
2.4.7 Population trend period	2002-2006
2.4.8 Population-reasons and/or specify	Unknown
2.4.10 Population-pressures	101 - modification of cultivation practices
	110 Use of pesticides
	140 Grazing
	180 Burning
	241 - collection (insects, reptiles, amphibians.....)
	301 - quarries
	400 Urbanised areas, human habitation
	623 - motorised vehicles
	700 Pollution
	720 Trampling, overuse
2.4.11 Population-threats	101 - modification of cultivation practices
	110 Use of pesticides
	140 Grazing
	180 Burning
	241 - collection (insects, reptiles, amphibians.....)
	301 - quarries
	400 Urbanised areas, human habitation
	623 - motorised vehicles
	700 Pollution
	720 Trampling, overuse

## Habitat

### 2.5.1 Habitats for the species

speciesname	<i>Cucullia mixta</i>	fajnév	<b>vértesi csuklyásbagoly</b>
melléklet	<b>II</b>	speciescode	<b>4031</b>

---

2.5.2 Area estimation (km2)	0,6
2.5.3 Date of estimation	2006
2.5.4 Quality of the data	Moderate e.g. based on partial data with s
2.5.5 Trend of the habitat	Stable (=)
2.5.6 Trend period	2002-2006
2.5.7 Habitat-reasons	Natural processes
<i>Other (specify)</i>	

### Reference values

2.6 Future prospects for the species	Bad prospects - species likely to be beco
2.7.1 Favourable reference range (km2)	12
<i>Qualifier</i>	More than
2.7.2 Favourable reference population	2
<i>Qualifier</i>	More than
2.7.3 Suitable habitat for the species	1,5
2.7.4 Other relevant information (optional)	

### Conclusions

<i>Conclusions: (2.3) Range</i>	Inadequate (U1)
<i>Conclusions: (2.4) Population</i>	Bad and deteriorating (U2-)
<i>Conclusions: (2.5) Habitat for the species</i>	Inadequate (U1)
<i>Conclusions: (2.6) Future prospects</i>	Bad (U2)
<i>Conclusions: Overall assessment</i>	Bad (U2)

# Térképmelléklet az élőhelyvédelmi irányelv 17. cikke alapján készített országjelentéshez 2007.

## Vértesi csuklyásbagoly (*Cucullia mixta*)

II., IV. melléklet

