

speciesname *Eptesicus serotinus* fajnév **Késeidenevér**
 melléklet **IV** speciescode **1327**

2.2 Published sources and/or websites

Bihari, Z., Heltai, M. és Csorba, G. (eds) Magyarország emlőseinek atlasza. Kossuth Kiadó, Budapest (in print)
 Bihari, Z., Petrovics, Z. és Szentgyörgyi, P. 2000. A Zempléni-hegység emlősfaunája (Mammalia). Folia Historico-naturalia Musei Matraensis, 24: 361-403.
 Endes, M. és Harka, Á. 1998. Adatok a Közép-Tiszavidék és az Északalföldi-hordalékkúpsíkság templomépületeinek denevérállományairól. A pusztá, 1/15: 204-209.
 Gécz, I. 1999. Adatok a Zempléni-hegység és a szomszédos kistájak denevérfaunájához (Mammalia: Chiroptera). Folia Historico-naturalia Musei Matraensis, 23: 381-389.
 Papp, K. 1996. Adatok Győr-Moson-Sopron megye épületlakó denevér-faunájához. Denevérkutatás, 2: 22-27.

Range

2.3.1 Surface range of the species in km2 93011
 2.3.2 Date of range determination 2006
 2.3.3 Quality of data concerning range Moderate e.g. based on partial data with som
 2.3.4 Range trend Stable (=)
 2.3.5 Range trend magnitude in km2 (optional)
 2.3.6 Range trend period 1996-2006
 2.3.7 range-reasons and/or specify

Natural processes

Population

2.4.1 Population size estimation (minimum) 1500
 2.4.1 Population size estimation (maximum) 200000
 2.4.1 Population units Number of individuals
 2.4.2 Date of population estimation 2006
 2.4.3 Population-methods

Based on expert opinion
Extrapolation from surveys of part of the population or from sampling

 2.4.4 Quality of population data Moderate e.g. based o
 2.4.5 Population trend Stable (=)
 2.4.6 Population trend magnitude (km2)
 2.4.7 Population trend period 1996-2006
 2.4.8 Population-reasons and/or specify

Natural processes

 2.4.10 Population-pressures

101 - modification of cultivation practices
110 Use of pesticides
141 - abandonment of pastoral systems
151 - removal of hedges and copses
740 Vandalism
790 Other pollution or human impacts/activities

 2.4.11 Population-threats

101 - modification of cultivation practices
110 Use of pesticides
141 - abandonment of pastoral systems
151 - removal of hedges and copses
740 Vandalism
790 Other pollution or human impacts/activities

Habitat

2.5.1 Habitats for the species

speciesname *Eptesicus serotinus* fajnév **Késeidenevér**

melléklet **IV** speciescode **1327**

2.5.2 Area estimation (km2) 48615,6

2.5.3 Date of estimation 2006

2.5.4 Quality of the data Moderate e.g. based on partial data with s

2.5.5 Trend of the habitat Stable (=)

2.5.6 Trend period 1996-2006

2.5.7 Habitat-reasons

Natural processes

Other (specify)

Reference values

2.6 Future prospects for the species Good prospects - species expected to sur

2.7.1 Favourable reference range (km2) 93011

Qualifier

2.7.2 Favourable reference population 200000

Qualifier

2.7.3 Suitable habitat for the species 48615,6

2.7.4 Other relevant information (optional)

Conclusions

Conclusions: (2.3) Range Favourable (FV)

Conclusions: (2.4) Population Favourable (FV)

Conclusions: (2.5) Habitat for the species Favourable (FV)


Conclusions: (2.6) Future prospects Favourable (FV)

Conclusions: Overall assessment Favourable (FV)



Térképmelléklet az élőhelyvédelmi irányelv 17. cikke alapján készített országjelentéshez
2007.

Kései denevér (*Eptesicus serotinus*)

IV. melléklet



Jelmagyarázat

-  Elterjedés (range)
-  Kiterjedés (distribution)

