

speciesname *Lignoptera fumidaria* fajnév **füstös ősziaraszoló**
 melléklet **II** speciescode **4037**

2.2 Published sources and/or websites

KASY: Zur Kenntnis der Schmetterlingsfauna des östlichen Neusiedlersee-Gebietes. – Wissenschaftliche Arbeiten von Burgenland 34: 75-211, Eisenstadt, 1965.
 RONKAY, L. (1997): Nemzeti Biodiverzitás-Monitorozó Rendszer VII. Lepkék. – Magyar Természettudományi Múzeum, Budapest, pp. 39-42.

Range

2.3.1 Surface range of the species in km2 800
 2.3.2 Date of range determination 2006
 2.3.3 Quality of data concerning range Moderate e.g. based on partial data with som
 2.3.4 Range trend Stable (=)
 2.3.5 Range trend magnitude in km2 (optional)
 2.3.6 Range trend period 2000-2006
 2.3.7 range-reasons

Natural processes

 and/or specify

Population

2.4.1 Population size estimation (minimum) 2500
 2.4.1 Population size estimation (maximum) 25000
 2.4.1 Population units Number of breeding m
 2.4.2 Date of population estimation 2006
 2.4.3 Population-methods

Extrapolation from surveys of part of the population or from sampling

 2.4.4 Quality of population data Moderate e.g. based o
 2.4.5 Population trend Stable (=)
 2.4.6 Population trend magnitude (km2)
 2.4.7 Population trend period 2000-2006
 2.4.8 Population-reasons

Natural processes

 and/or specify
 2.4.10 Population-pressures

101 - modification of cultivation practices
110 Use of pesticides
160 General Forestry management
180 Burning
401 - continuous urbanisation
421 - disposal of household waste
422 - disposal of industrial waste
502 - roads, motorways
623 - motorised vehicles
720 Trampling, overuse

 2.4.11 Population-threats

101 - modification of cultivation practices
110 Use of pesticides
160 General Forestry management
180 Burning
401 - continuous urbanisation
421 - disposal of household waste
422 - disposal of industrial waste
502 - roads, motorways
623 - motorised vehicles
720 Trampling, overuse

Habitat

2.5.1 Habitats for the species

speciesname	<i>Lignyoptera fumidaria</i>	fajnév	füstös ősziaraszoló
melléklet	II	speciescode	4037

2.5.1 Habitat for the species

2.5.2 Area estimation (km2)	7
2.5.3 Date of estimation	2006
2.5.4 Quality of the data	Moderate e.g. based on partial data with s
2.5.5 Trend of the habitat	Decreasing (-)
2.5.6 Trend period	2000-2006

2.5.7 Habitat-reasons

Direct human influence (restoration, deterioration, destruction)
--

Other (specify)

Reference values

2.6 Future prospects for the species	Good prospects - species expected to sur
--------------------------------------	--

2.7.1 Favourable reference range (km2)	800
--	-----

Qualifier

2.7.2 Favourable reference population	25000
---------------------------------------	-------

Qualifier

2.7.3 Suitable habitat for the species	7
--	---

2.7.4 Other relevant information (optional)

Conclusions

Conclusions: (2.3) Range	Favourable (FV)
--------------------------	-----------------

Conclusions: (2.4) Population	Inadequate (U1)
-------------------------------	-----------------

Conclusions: (2.5) Habitat for the species	Inadequate (U1)
--	-----------------

Conclusions: (2.6) Future prospects	Favourable (FV)
-------------------------------------	-----------------

Conclusions: Overall assessment	Inadequate (U1)
---------------------------------	-----------------

Térképmelléklet az élőhelyvédelmi irányelv 17. cikke alapján készített országjelentéshez 2007.

Füstös ősziaraszoló (*Lignyopectera fumidaria*)

II., IV. melléklet

