

speciesname *Lindernia procumbens* fajnév **Heverő iszapfű**  
 melléklet IV speciescode **1725**

**2.2 Published sources and/or websites**

Molnár V. A.-Pfeiffer N. (1999): Adatok hazai Nanocyperion fajok ismeretéhez II. Kitaibelia 4 (2): 391-421.

**Range**

2.3.1 Surface range of the species in km2 15312  
 2.3.2 Date of range determination 2006  
 2.3.3 Quality of data concerning range Good e.g based on extensive surveys  
 2.3.4 Range trend Increasing (+)  
 2.3.5 Range trend magnitude in km2 (optional)  
 2.3.6 Range trend period 1925-2006  
 2.3.7 range-reasons Improved knowledge/more accurate data  
 and/or specify

**Population**

2.4.1 Population size estimation (minimum) 10000  
 2.4.1 Population size estimation (maximum) 200000  
 2.4.1 Population units Number of individuals  
 2.4.2 Date of population estimation 2006  
 2.4.3 Population-methods Extrapolation from surveys of part of the population or from sampling  
 2.4.4 Quality of population data Good e.g based on ext  
 2.4.5 Population trend Increasing (+)  
 2.4.6 Population trend magnitude (km2)  
 2.4.7 Population trend period 1925-2006  
 2.4.8 Population-reasons Improved knowledge/more accurate data  
 and/or specify

2.4.10 Population-pressures

100 Cultivation
101 - modification of cultivation practices
110 Use of pesticides
120 Fertilisation
141 - abandonment of pastoral systems
300 Sand and gravel extraction
401 - continuous urbanisation
424 Other discharges
800 Landfill, land reclamation and drying out, general
803 - infilling of ditches, dykes, ponds, pools, marshes or pits
810 Drainage
840 Flooding
860 Dumping, depositing of dredged deposits
910 Silting up
920 Drying out
952 - eutrophication
971 - competition

2.4.11 Population-threats

101 - modification of cultivation practices
110 Use of pesticides
120 Fertilisation
141 - abandonment of pastoral systems
401 - continuous urbanisation
424 Other discharges

speciesname *Lindernia procumbens* fajnév **Heverő iszapfű**

melléklet **IV** speciescode **1725**

800 Landfill, land reclamation and drying out, general
803 - infilling of ditches, dykes, ponds, pools, marshes or pits
810 Drainage
840 Flooding
860 Dumping, depositing of dredged deposits
910 Silting up
920 Drying out
952 - eutrophication
971 - competition

### **Habitat**

**2.5.1 Habitats for the species**

3130

**2.5.2 Area estimation (km<sup>2</sup>)**

50

**2.5.3 Date of estimation**

2006

**2.5.4 Quality of the data**

Good e.g based on extensive surveys

**2.5.5 Trend of the habitat**

Increasing (+)

**2.5.6 Trend period**

1925-2006

**2.5.7 Habitat-reasons**

Improved knowledge/more accurate data

**Other (specify)**

### **Reference values**

**2.6 Future prospects for the species**

Good prospects - species expected to sur

**2.7.1 Favourable reference range (km<sup>2</sup>)**

15312

**Qualifier**

**2.7.2 Favourable reference population**

50000

**Qualifier**

**2.7.3 Suitable habitat for the species**

50

**2.7.4 Other relevant information (optional)**

A faj számára potenciális élőhelyek csak emberi zavarással (szántóföldi művelés fenntartása, belvizes területek művelés hozhatók létre.

### **Conclusions**

**Conclusions: (2.3) Range**

Favourable (FV)

**Conclusions: (2.4) Population**

Favourable (FV)

**Conclusions: (2.5) Habitat for the species**

Favourable (FV)

**Conclusions: (2.6) Future prospects**


Favourable (FV)

**Conclusions: Overall assessment**



Favourable (FV)

Térképmelléklet az élőhelyvédelmi irányelv 17. cikke alapján készített országjelentéshez  
2007.

Heverő iszapfű (*Lindernia procumbens*)  
IV. melléklet



Jelmagyarázat

-  Elterjedés (range)
-  Kiterjedés (distribution)

