

speciesname *Maculinea teleius* fajnév **vérfű-hangyaboglárka**
 melléklet **II** speciescode **1059**

2.2 Published sources and/or websites

BARANYI, T., KOROMPAI, T., JÓZSA, Á. CS., BERTALAN, L. (2005): Adatok a Tiszántúl és a Tisza-mente Lepidoptera-faunájának ismeretéhez (Lepidoptera). A Puszta 2004. A „Nimfea” Természetvédelmi Egyesület évkönyve, Szarvas, 2005. 21: 21-133.
 BÁLINT ZSOLT – GUBÁNYI ANDRÁS – PITTE GÁBOR (2006): Magyarország védett pillangóalakú lepkéinek katalógusa – Magyar Természettudományi Múzeum, Budapest
 BÁLINT ZSOLT (1992): Kárpát-medencei nappali lepke-jegyzetek. (Lepidoptera: Rhopalocera) - Folia Entomologica Hungarica 52: 21-222.

Range

2.3.1 Surface range of the species in km2 14100
 2.3.2 Date of range determination 2006
 2.3.3 Quality of data concerning range Moderate e.g. based on partial data with som
 2.3.4 Range trend Decreasing (-)
 2.3.5 Range trend magnitude in km2 (optional)
 2.3.6 Range trend period 1930-2006
 2.3.7 range-reasons

Improved knowledge/more accurate data
Indirect anthropo(zoo)genic influence

and/or specify

Population

2.4.1 Population size estimation (minimum) 12000
 2.4.1 Population size estimation (maximum) 240000
 2.4.1 Population units Number of individuals
 2.4.2 Date of population estimation 2006
 2.4.3 Population-methods

Extrapolation from surveys of part of the population or from sampling

2.4.4 Quality of population data Moderate e.g. based o
 2.4.5 Population trend Stable (=)
 2.4.6 Population trend magnitude (km2)
 2.4.7 Population trend period 2004-2006
 2.4.8 Population-reasons

Not applicable

and/or specify

2.4.10 Population-pressures

101 - modification of cultivation practices
102 - mowing / cutting
300 Sand and gravel extraction
400 Urbanised areas, human habitation
500 Communication networks
800 Landfill, land reclamation and drying out, general
920 Drying out

2.4.11 Population-threats

101 - modification of cultivation practices
102 - mowing / cutting
300 Sand and gravel extraction
400 Urbanised areas, human habitation
500 Communication networks
800 Landfill, land reclamation and drying out, general
920 Drying out

Habitat

2.5.1 Habitats for the species Vérfűves láprétek, mocsárrétek, kaszálók

speciesname **Maculinea teleius** fajnév **vérfű-hangyaboglárka**

melléklet **II** speciescode **1059**

2.5.2 Area estimation (km2) 700
2.5.3 Date of estimation 2006
2.5.4 Quality of the data Poor e.g. based on very incomplete data
2.5.5 Trend of the habitat Unknown (X)
2.5.6 Trend period 2000-2006
2.5.7 Habitat-reasons

Unknown

Other (specify)

Reference values

2.6 Future prospects for the species Poor prospects - species likely to struggle
2.7.1 Favourable reference range (km2) 14100
Qualifier
2.7.2 Favourable reference population 240000
Qualifier
2.7.3 Suitable habitat for the species 0
2.7.4 Other relevant information (optional)

Conclusions

Conclusions: (2.3) Range Inadequate (U1)
Conclusions: (2.4) Population Inadequate (U1)
Conclusions: (2.5) Habitat for the species Unknown (XX)
Conclusions: (2.6) Future prospects Inadequate but improving (U1+)
Conclusions: Overall assessment Inadequate (U1)

Térképmelléklet az élőhelyvédelmi irányelv 17. cikke alapján készített országjelentéshez 2007.

Vérfű-hangyaboglárka (*Maculinea teleius*)

II., IV. melléklet

