

speciesname *Osmoderma eremita* fajnév \*remetebogár

melléklet II p speciescode 1084

---

## 2.2 Published sources and/or websites

Ranius, T., Aguado, L. O., Antonsson, K., Audisio, P., Ballerio, A., Carpaneto, G., Chobot, M. K., Gjurasin, B., Hanssen, O., Huijbregts H., Lakatos, F., Martin, O., Neculiseanu, Z., Nikitsky, N. B., Paill, W., Pirnat, A., Rizun, V., Ruicanescu, A., Stegner, J., Suda, I., Szwalko, P., Tamutis, V., Telnov, D., Tsinkevich, V., Versteirt, V., Vignon, V., Vogeli, M. & Zach P. 2005: *Osmoderma eremita* (Coleoptera, Scarabaeidae, Cetoniinae) in Europe. – *Animal Biodiversity and Conservation* 28(1): 1–44.

[www.raco.cat/index.php/ABC/article/viewFile/56738/66494](http://www.raco.cat/index.php/ABC/article/viewFile/56738/66494)

## Range

2.3.1 Surface range of the species in km <sup>2</sup>	550,1
2.3.2 Date of range determination	2006
2.3.3 Quality of data concerning range	Poor e.g. based on very incomplete data or o
2.3.4 Range trend	Unknown (X)
2.3.5 Range trend magnitude in km <sup>2</sup> (optional)	
2.3.6 Range trend period	2004-2006
2.3.7 range-reasons	Unknown

and/or specify

## Population

2.4.1 Population size estimation (minimum)	4
2.4.1 Population size estimation (maximum)	8
2.4.1 Population units	Number of localities
2.4.2 Date of population estimation	2006
2.4.3 Population-methods	Based on expert opinion
2.4.4 Quality of population data	Poor e.g. based on ver
2.4.5 Population trend	Unknown (X)
2.4.6 Population trend magnitude (km <sup>2</sup> )	
2.4.7 Population trend period	1988-2004
2.4.8 Population-reasons	Unknown
and/or specify	
2.4.10 Population-pressures	160 General Forestry management
	161 - forest planting
	162 - artificial planting
	164 - forestry clearance
	166 - removal of dead and dying trees
	167 - forest exploitation without replanting
2.4.11 Population-threats	160 General Forestry management
	161 - forest planting
	162 - artificial planting
	164 - forestry clearance
	166 - removal of dead and dying trees
	167 - forest exploitation without replanting

## Habitat

### 2.5.1 Habitats for the species

speciesname *Osmoderma eremita* fajnév **\*remetebogár**

melléklet **II** p speciescode **1084**

---

2.5.2 Area estimation (km2) 55  
2.5.3 Date of estimation 2006  
2.5.4 Quality of the data Poor e.g. based on very incomplete data  
2.5.5 Trend of the habitat Unknown (X)  
2.5.6 Trend period 1988-2004  
2.5.7 Habitat-reasons 

Unknown
---------

  
*Other (specify)*

### Reference values

2.6 Future prospects for the species Poor prospects - species likely to struggle  
2.7.1 Favourable reference range (km2) 550,1

#### Qualifier

2.7.2 Favourable reference population 8  
*Qualifier*

2.7.3 Suitable habitat for the species 0

#### 2.7.4 Other relevant information (optional)

Egész Európában a veszélyeztetett szaproxilofág fauna „címerállata”, ezért legalább a faj további előfordulási adatainak felderítésére lenne szükség.

### Conclusions

*Conclusions: (2.3) Range* Inadequate (U1)

*Conclusions: (2.4) Population* Unknown (XX)

*Conclusions: (2.5) Habitat for the species* Unknown (XX)

*Conclusions: (2.6) Future prospects* Inadequate and deteriorating (U1-)

*Conclusions: Overall assessment* Inadequate and deteriorating (U1-)

# Térképmelléklet az élőhelyvédelmi irányelv 17. cikke alapján készített országjelentéshez 2007.

\*Remetebogár (*\*Osmoderma eremita*)

II., IV. melléklet

