

speciesname *Plecotus auritus* fajnév **Barna hosszúfülű-denevér**
 melléklet **IV** speciescode **1326**

2.2 Published sources and/or websites

Bihari, Z., Heltai, M. és Csorba, G. (eds) Magyarország emlőseinek atlasza. Kossuth Kiadó, Budapest (in print)
 Bihari, Z., Petrovics, Z. és Szentgyörgyi, P. 2000. A Zempléni-hegység emlősfaunája (Mammalia). Folia Historico-naturalia Musei Matraensis, 24: 361-403.
 Dobrosi, D. 1993. Adatok a Bükk denevérfaunájához. Folia Historico-naturalia Musei Matraensis, 18: 191-197.
 Paulovics, P., Dombi, I. és Fehér, Cs. 1996. Téli denevérelőrzések a Bakonyban. Denevérkutatás, 2: 10-15.
 Tuboly, Á. 1997. A Börzsöny-hegység területén végzett denevérfaunisztikai vizsgálatok, valamint a hegység körüli területek migrációs kapcsolatainak vizsgálata a denevérek vándorlási útvonalain. Az I. Magyar Denevérvédelmi Konferencia kiadványa: 52-59.

Range

2.3.1 Surface range of the species in km2 24280,6
 2.3.2 Date of range determination 2006
 2.3.3 Quality of data concerning range Poor e.g. based on very incomplete data or o
 2.3.4 Range trend Decreasing (-)
 2.3.5 Range trend magnitude in km2 (optional)
 2.3.6 Range trend period 1996-2006
 2.3.7 range-reasons

Direct human influence (restoration, deterioration, destruction)
Indirect anthropo(zoo)genic influence

and/or specify

Population

2.4.1 Population size estimation (minimum) 15000
 2.4.1 Population size estimation (maximum) 20000
 2.4.1 Population units Number of individuals
 2.4.2 Date of population estimation 2006
 2.4.3 Population-methods

Based on expert opinion

 2.4.4 Quality of population data Poor e.g. based on ver
 2.4.5 Population trend Decreasing (-)
 2.4.6 Population trend magnitude (km2)
 2.4.7 Population trend period 1996-2006
 2.4.8 Population-reasons

Direct human influence (restoration, deterioration, destruction)
Indirect anthropo(zoo)genic influence

and/or specify

2.4.10 Population-pressures

160 General Forestry management
164 - forestry clearance
166 - removal of dead and dying trees
624 - mountaineering, rock climbing, speleology
690 Other leisure and tourism impacts not referred to above

 2.4.11 Population-threats

160 General Forestry management
164 - forestry clearance
166 - removal of dead and dying trees
624 - mountaineering, rock climbing, speleology
690 Other leisure and tourism impacts not referred to above

Habitat

2.5.1 Habitats for the species

speciesname	<i>Plecotus auritus</i>	fajnév	Barna hosszúfülű-denevér
melléklet	IV	speciescode	1326

2.5.2 Area estimation (km2)	7045,2
2.5.3 Date of estimation	2006
2.5.4 Quality of the data	Poor e.g. based on very incomplete data
2.5.5 Trend of the habitat	Decreasing (-)
2.5.6 Trend period	1996-2006
2.5.7 Habitat-reasons	Direct human influence (restoration, deterioration, destruction)
Other (specify)	Indirect anthro(zoo)genic influence

Reference values

2.6 Future prospects for the species	Poor prospects - species likely to struggle
2.7.1 Favourable reference range (km2)	24280,6
Qualifier	
2.7.2 Favourable reference population	20000
Qualifier	
2.7.3 Suitable habitat for the species	7045,2
2.7.4 Other relevant information (optional)	


Conclusions

Conclusions: (2.3) Range	Inadequate and deteriorating (U1-)
Conclusions: (2.4) Population	Inadequate and deteriorating (U1-)
Conclusions: (2.5) Habitat for the species	Inadequate and deteriorating (U1-)
Conclusions: (2.6) Future prospects	Inadequate and deteriorating (U1-)
Conclusions: Overall assessment	Inadequate and deteriorating (U1-)



Térképmelléklet az élőhelyvédelmi irányelv 17. cikke alapján készített országjelentéshez
2007.

Barna hosszúfülű-denevér (*Plecotus auritus*)

IV. melléklet



Jelmagyarázat

-  Elterjedés (range)
-  Kiterjedés (distribution)

