

# Bird species' status and trends reporting format for the period 2008-2012 (Annex 2)

## 1. Species Information

1.1 Member State	Hungary
1.2.2 Natura 2000 code	A692
1.3 Species name	<i>Podiceps nigricollis nigricollis</i>
1.3.1 Sub-specific population	Europe/South & West Europe & North Africa
1.4 Alternative species name	
1.5 Common name	feketenyakú vöcsök
1.6 Season	Breeding (B)

## 2. Population size

2.1 Year or period	2008-2012
2.2 Population size	a)unit number of pairs (p) b)minimum 300 c)maximum 1100
2.3 Type of estimate	Average min-max of published figures or five-year peak mean (5 year mean)
2.4 Method used	Complete survey or a statistically robust estimate (3)
2.5 Quality	Moderate (2)
2.6 Sources	National Park Directorates databases. Breeding bird (MME RTM) database.
2.8 Additional information	

## 3. Population trend

### 3.1 Short-term trend (last 12 years)

3.1.1 Period	2000-2012
3.1.2 Trend direction	Fluctuating (F)
3.1.3 Magnitude	a)Min b)Max
3.1.4 Method used	Estimate based on expert opinion with no or minimal sampling (1)
3.1.5 Quality	Moderate (2)
3.1.6 Sources	National Park Directorates databases. Breeding bird (MME RTM) database.

### 3.2 Long-term trend (since c. 1980)

3.2.1 Period	1980-2012
3.2.2 Trend direction	Fluctuating (F)
3.2.3 Magnitude	a)Min b)Max
3.2.4 Method used	Estimate based on expert opinion with no or minimal sampling (1)
3.2.5 Quality	Poor (1)
3.2.6 Sources	MME Nomenclator Bizottság (2008): Magyarország madarainak névjegyzéke. Nomenclator avium Hungariae. Magyar Madártani és Természetvédelmi Egyesület, Budapest. P. 278. Magyar, G., Hadarics, T., Waliczky, Z., Schmidt, A., Nagy, T. & Bankovics, A. (1998): Nomenclator avium Hungariae. Magyarország madarinak névjegyzéke. KTM Természetvédelmi Hivatal Madártani Intézete – Magyar Madártani és Természetvédelmi Egyesület – Winter Fair, Budapest – Szeged. P. 202.

### 3.3 Additional information

# Bird species' status and trends reporting format for the period 2008-2012 (Annex 2)

## 4. Breeding distribution map and range size

4.1 Year or period	2000-2012
4.2 Sensitive species	No
4.3 Distribution map	Yes
4.4 Additional distribution map	No
4.5 Range map	Yes
4.6 Range surface area	10406
4.7 Method used	Complete survey or a statistically robust estimate (3)
4.8 Quality	Good (3)
4.9 Sources	Breeding bird (MME RTM) database.
4.11 Additional information	The distribution and range map made by using breeding probability data.

## 5. Breeding range trend

### 5.1 Short-term trend (last 12 years)

5.1.1 Period	2000-2012
5.1.2 Trend direction	Fluctuating (F)
3.1.3 Magnitude	a)Min                    b)Max
5.1.4 Method used	Estimate based on expert opinion with no or minimal sampling (1)
5.1.5 Quality	Poor (1)
5.1.6 Sources	Consultation with national experts.

### 5.2 Long-term trend (since c. 1980)

5.2.1 Period	1980-2012
5.2.2 Trend direction	Fluctuating (F)
5.2.3 Magnitude	a)Min                    b)Max
5.2.4 Method used	Estimate based on expert opinion with no or minimal sampling (1)
5.2.5 Quality	Poor (1)
5.2.6 Sources	Consultation with national experts.
5.3 Additional information	

## 6. Progress in work related to international Species Action Plans (SAPs), Management Plans (MPs) and Brief Management Statements (BMSs)

6.1 Type of plan	No Plan (NA)
6.2 National plan adopted?	N/A

6.3 Measures linked to SAP/MP/BMS

### 6.4 Further Information

# Bird species' status and trends reporting format for the period 2008-2012 (Annex 2)

## 7. Main pressures and threats

Pressure	impact	quality	location	sources
modification of cultivation practices (A02)	low importance (L)	Poor (1)	Inside the Member State	Szakértői becslés
intensive fish farming, intensification (F01.01)	low importance (L)	Poor (1)	Inside the Member State	Kovács, G. (1998); Feketenyakú vöcsök In Haraszthy, L. (szerk.) (1998), Magyarország madarai. Mezőgazda Kiadó.
Pollution to surface waters (limnic & terrestrial, marine & brackish) (H01)	low importance (L)	Poor (1)	Inside the Member State	Szakértői becslés
invasive non-native species (I01)	low importance (L)	Poor (1)	Inside the Member State	Szakértői becslés
large scale water deviation (J02.03.01)	high importance (H)	Good (3)	Inside the Member State	Szakértői becslés
predation (K03.04)	low importance (L)	Poor (1)	Inside the Member State	Szakértői becslés
inundation (natural processes) (L08)	low importance (L)	Poor (1)	Inside the Member State	Szakértői becslés
temperature changes (e.g. rise of temperature & extremes) (M01.01)	low importance (L)	Poor (1)	Inside the Member State	Szakértői becslés
droughts and less precipitations (M01.02)	high importance (H)	Moderate (2)	Inside the Member State	Szakértői becslés

## 8. SPA coverage and conservation measures

### 8.1 Population inside the SPA network

8.1.1 Population size	a)unit	number of pairs (p)	b)minimum	140	c)maximum	850
-----------------------	--------	---------------------	-----------	-----	-----------	-----

### 8.1.2 Method used

Estimate based on expert opinion with no or minimal sampling (1)

### 8.1.3 Short-term trend of population

Fluctuating (F)

### 8.2 Conservation Measures

8.2.1 Measure	8.2.2 Type	8.2.3 Ranking	8.2.4 Location	8.2.5 Broad Evaluation
Maintaining grasslands and other open habitats (2.1)	Administrative Recurrent	low importance (L)	Both	Maintain
Other wetland-related measures (4.0)	Administrative Recurrent	high importance (H)	Both	Maintain
Restoring/improving the hydrological regime (4.2)	Contractual One-off	high importance (H)	Inside	Maintain

## Bird species' status and trends reporting format for the period 2008-2012 (Annex 2)

Establish protected areas/sites (6.1)	Legal One-off	high importance (H)	Inside	Maintain
Legal protection of habitats and species (6.3)	Legal One-off	medium importance (M)	Both	Maintain
Regulation/ Management of fishery in limnic systems (7.2)	Administrative Recurrent	medium importance (M)	Inside	Maintain

Térképmelléklet a madárvédelmi irányelv 12. cikke alapján készített országjelentéshez  
2013.

feketenyakú vöcsök (*Podiceps nigricollis*)

jelölő faj (egyéb)

